## Mr. WORLIDGES Two TREATISES:

### The FIRST,

Of Improvement of Husbandry, and Advantage of Enclosing Lands, of Meadows and Pastures, of Arable Land and Tillage, and the Benefit of Hempseed and Flax; with a Description of the Engine for Dressing Hemp and Flax. Of the Manuring, Dunging, and Soiling of Lands; and the Benefit of Raising, Planting, and Propogating of Woods.

## The SECOND,

A TREATISE of Cyder, and of the Cyder-Mill, and a New fort of Press. Of Chrrant-Wine, Apricock-Wine, Rasberry-Wine: Of making Chocolate, Coffee, Tea: Of the Extract of Juniper-Berries, and of Mum.


To which is Added,

#### An ESSAY

Towards the Discovery of the ORIGINAL of FOUNTAINS, and SPRINGS.

#### LONDON:

Printed for M. VVotton, at the Three Daggers, in Fleet-street, 1694.



### PROOEMIUM

thath the last dependence

Laudem Agriculturæ.

Being the

## PREFACE

OR

#### INTRODUCTION

TO THIS

# Second Part.

Shewing the great Advantages that Husbandry bringeth to Trade, and the dependencies the later bath on the former.

The Preface to my former Treatife of Husbandry, I did A 3 former

formewhat elucidate the excellency and utility thereof, it being an Art that hath the least dependency on other Arts of any whatfoever, being content with only a few Tools for the breaking the stubborn Clods of the Earth, and the more ensie separating the Seed from the Husk; when there is no other Science, Art, or Trade, but hath mediately or immediately an absolute reliance or dependency on Husbandry, or some of its Branches; As Cicero once faid, Paclare & the dixte qui perhi buit Agriculturam aliarum Artium Matrem effe at Nutricem. More especially the Maritime Trade of the whole World hath for the most part regard to the Products of the Earth obtained by Humane Labour and Industry: As the fonte

the Silks and Spices of Asia, the Sugar, Tobacco, Indico, &c. of America, first advanced Trading thither, and are yet the principal Commodities which allure our Europeans to make so long and dangerous Voyages into those remote Parts. As for Metals and Minerals, another part of the subject of Trade, although I have not treated hitherto of them, yet may their extraction out of the obdurate parts of the Earth be deem'd a Branch of Agriculture.

It is particularly observ'd, that the planting of some certain Species of Vegetables, in places wherein they delighted, hath acquired unto, and maintain'd a Trade there: As the planting of Tobacco in Virginia, Sugar in Barbadoes, Currans in the Isle of Zant, Vines

pomist

A 4

in the Canaries and in France.
The like Instances may be produced of many other places, that by this Art of Agriculture only, have been infinitely enriched, and

their Trade advanced. 2000 1000

It will be objected (I know) that there are many places very much enriched and improved by Trade, that have very little of Agriculture used therein; nor have the Inhabitants thereof but little Land to till or improve, having not Corn enough of their own growing to feed them! As Penite, and forme of the Provinces of the Low-Countries, &c. and yet no places flourish more than these by Trade only. To which it may be anfwered, That although they have but little Land of their own, yet are they and their Trades maintained

tained by the Husbandry of their Neighbours: As Middleburgh in Zealand, Amsterdam in Holland, Hamborough, &c. depend on, and are maintained by the Husbandry of their Neighbouring Germans, Danes, &cc. from whom they have their Corn, Cattel, Gr. And to whom in lieu thereof they carry their own Manufactures, and the Products of foreign Countries, And one of the particular Reasons why they grow fo rich and great on fo imall Territories, is the situation of their Countries, lying as places of Rest, in their Navigations between one Country and another, and of refuge and fecurity from the Attaque of Enemies, wherewith the Seas are generally incumbred: And it doth not at all lessen the Obligation that Trade hath hath to Husbandry; because many Countries, Cities, and places thrive so well where Husbandry is not used.

For the City of London, not-withstanding its great Trade, and many Noble and Wealthy Inhabitants in it and its Suburbs, cannot subsist without the Husbandry of many of the Neighbouring Counties, whose daily labour and industry in that Art, are the principal means of preserving and maintaining that great City, not only in their habitations and necessaries for life, but in many things useful towards the Support of their Trade and Traffic.

And it is also observable. That where Agriculture is slighted, neglected, or not used, Trade is not considerable in such places: As

on

on the incultivated Coasts of Africa and America; In some places
whereof little is to be had by our
Merchants, besides the Skins of
Wild Beasts, or Elephants Teeth;
and in other places nothing at all.
Although the Soil may be rich,
and the Countries populous, but
with Inhabitants lazy and ignorant, feeding on the Productions
of Nature, without any other
labour or industry, than Hunting, Fowling, or gathering of
Fruits.

In that great Kingdom of Spain, fince the Expulsion of the Moors, Agriculture hath been much neglected, which hath reduced that Kingdom to so mean a Condition, as to its Trade, that it would be of little worth, did not other Nations maintain it, for the

the lucre of its American Products.

The fertile Kingdom of heland, for want only of People to cultivate its rich and vast Wasts and Territories, maintaineth but a small Trade in comparison of

its Neighbours.

So that if it be granted that an industrious tilling and improving of Lands, is a principal means to beget and support a Trade; and that the neglect thereof, or the inaptitude of a place for Tillage be likewise a means of the decay or defect of Trade; then will it not be denied, that Trade hath a dependency on Agriculture; and that to profflote this noble and ingenious Science and Art of Agriculture, is one of the principal Encouragements to Trade, and will

will furnish the Tradesman and Mechanic, not only with all Materials whereon to imploy his Art and Cunning, but with Food and Rayment for him and his Family, whilst he is advancing the Trade of the Nation, and heaping up Riches for himself and his

Posterity.

To descend to particulars within this flourishing Kingdom of England (our Native Soil;) It is most evident, that in such parts thereof, where there is the greatest plenty of Materials to work on, and necessaries for the Operators, there is the greatest Trade managed: As in Shropshire and places adjacent, where there is great plenty of Iron and Coal, and cheap living for the Workmen, by reason of the plenty of all sorts

of Food, &c. which the Earth produces through the labour and industry of the Husbandman, Vaft quantities of all forts of Iron-work used in Building, &c. are there made, not only to ferve the necessary occasions of many in this Kingdom', but to furnish Foreigners withall, to the great encrease of

the National Trade abroad.

The like may be faid of Sheffield, Rippon, Bedal, &c. in York-Shire, famous for driving the Trades of Cutlers, Spurriers, Loriners, &c. All which forts of Iron-Ware cannot be made at fo low Rates in other places, where Meat, Drink, &c. are not fo cheap, fo as to maintain a general Trade to advantage, notwithstanding there may be the like plenty of the Materials to be wrought upon: And yet. yet in these places of Trade the Husbandman thrives better, than where a Market is wanting. For a quick Market, although at a rea-

fonable price, is his delight.

Many places in this Kingdom are famous for the divers Manufactures made of Wool, by reason of the plenty of that Commodity, and of the Products of Hufbandry. For those Manufactures are generally made in places where the Markets for Provisions are reasonable, which with the Frugality of the Spinners, Weavers, &c. support that Trade. For we fee that the French, who buy Wool here, export it with difficulty and cost; yet by their cheap living in their own Country make it into Cloath, &c. and fell it at as low Rates in Markets abroad as the English: English: From whence it is not unreasonable to conclude, that if we have our Provisions for the Back and Belly cheaper than they (our Wool here being to be had at lower Rates than they can have it) we may under-sell them in any place of the World. Therefore to maintain our Cloathing-Trade abroad, and lessen theirs, we must be obliged to the Husbandman, and the parsimonious living of such Mechanics that are exercised in these Trades.

And as our Husbandry brings plenty to the Market, and fuch plenty supporteth and encourageth the Mechanic; so it likewise produceth many Commodities, which without any, or very little, of the aid or assistance of any other than the Husbandman and

and the Merchant, beget and maintain a confiderable part of the Trade of this Kingdom, by their being annually exported into foreign Parts: As Wheat, Rye, Barley, Oates, Beans, Hops, Linseed, Pease, Fruits, Cloverseed, Rapeseed: And also Lead, Coals, Clay, and feveral other forts of fubterranean Commodities. And feveral forts of Fish are likewise annually exported, which although they are not obtain'd by Agriculture, yet are they taken out of our Rivers and Seas by the Labour and Industry of our Countrymen, and in part conduce to the advancement of Trade: Alfo feveral forts of Beafts and other Animals are raifed throughout the Kingdom, which are either transported in specie, as Horses, OG.

Gr. Or yield some Commodity for the Merchant, as Butter, Cheese, Bacon, Ox-Bones, Leather, Coney-Skins, Coney-Furre, Wool, Wax, Tal-

low, Horn, &c.

The Husbandry of England likewise produceth several Materials on which the Mechanical part of the People imploy themfelves: As Wool for the making of Cloath, Serges, Bays, Flannel, Stockings, Hats, &c. Hair, for the making of Hair-Cloathes, Lines, Buttons, &c. Skins of Beafts, for the making of Shoes, Gloves, &c. Corn and Grain, for the making of Bisket, Beer, Mum, distilled Spi-Seeds, for the making rits, &c. of Oils, as Linseed, Rapeseed, &c. Iron-Oar for the making of Iron, Steel, and an infinite number of Tools, Instruments, Nails, Locks, &c. made

ţ

made of that Metal; and fine Clay for the making of Tobacco-Pipes, and great variety of Earthen-Ware, which are glazed with our Minerals, with very many other Wares and Commodites that are either exported, as they are at first produced, or otherwise wrought into some other form by the Art of By all which the Workman. means the Foreign Trade of this Kingdom is supported, and our great and numerous Fleets trading to all quarters of the Earth maintained.

1

1

f

e

s,

r

g :

2,

f

e.

e

In return whereof are imported Raw Silks, Camels Hair, and Goats Hair, Cotton, Elephants Teeth, &c. which being wrought here into various forms, are again exported to the great advantage of Trade. It is true that the Artificers, that

a 2

for

for the most part, convert these foreign Commodities into Manufactures, to the great Improvement of their Value, inhabit in or near London, and gain much Riches by their Pains and Industry, where Provisions are dearer than in the remote parts in the Country: The reason whereof is, that the City is the place for the Importation of those Commodities, and the place where curious Artificers, as well Strangers as Natives, Inhabit; and where they have the greatest Encouragement by their great Wages they make of their Skill and Industry: And the greatness of the Domestic Trade there, takes off the greater part of their Manufactures; (part thereof being exported) and for that no other Port in this Kingdom hath a Trade

a Trade sufficient for the Exportation of such Manufactures.

r

h

1,

n

-

t

i-

IS

as

y

ce

le

of

of

0

h

le

Another Return of our Commodities exported, are such things that are necessary to support our Healths, and add to the pleasure of our Lives, and satisfaction of our Minds: As Spices, Druggs, divers forts of Fruits, Sugars, Wines, Silver, Gold, Copper, sine Linnen, Paper, &c. Great quantities whereof are annually imported and consumed in this Kingdom, to the no small Encouragement of Trade, and consequently of Husbandry.

Thus by the Richness of our Soil, the great plenty of Mines, Minerals, Timber, Woods, Corn, Grain, Cattel, &c. and the Labour, Industry, and Ingenuity of the Husbandmen is the Trade of

a 3 England

England maintained, which hath made it Famous throughout the Universe, That it is most worthily esteem'd the Queen of Istes, and made it Rich and Powerful: Its Store-houses being Replete with the Riches of the Indies, and other parts of the World; and its Inhabitants cloathed with the Silks of Afia; Their Coffers filled with the Metals of Africa and America; and every one from the greatest almost to the meanest foliacing themselves on the rich Cates, Wines, and Fraits of Europe, and other foreign Parts.

Therefore the more Foreign Trade is encouraged and encreased, the better will the Hufbandman thrive, because his Commodities will be the better vended. And the more Husbandry encreases,

h

ic

ly

ts h

d

d

ied die sthe

n

ー sty

encreases, the more plenty will there be of its Products to support and maintain that Trade. For it is the plenty and the lowness of the Prizes of our Native Commodities that begets and maintains a Trade abroad.

It is not the great consumption of our own Products that encreafeth our Wealth, as is vulgarly thought: For the more we confume, the less is left to transport, and the Bates of it the higher, and so the Trade the less. As in Wheat and other Grain in such years wherein we have plenty, and that the Prizes are low, much is exported because our Merchants are ablento underfel others in Foreign Markets. And what quantities soever are vended abroad we have fuitable Returns for nondami a 4

for the fame. Now were there any contrivance in a plentiful year of Corn, to make a Consumption at home of a part of that Crop, whereby to enhance the prizes to the enriching of the Farmer; this would be fo far from being an enriching of the Nation, that it would manifestly appear to be a loss. For it is not the gain of the Husbandman, in his ordinary way of Husbandry, by the rife of his Commodity, nor of a Tradesman in his ordinary way of Trade, that enriches the Nation. As in this present year 1688. this Nation is bleffed with a double Crop of Wheat, and a plenty of all other Grain. Now to export a moyety of this Crop, would very much advan-tage the whole, when a Con**fumption** 

fumption at home would only a few.

It is not the burying of our Woollen that advantageth the National Trade, but would rather be a prejudice to it, by confurning fo great a quantity of that Commodity; were it not that it prevents the Confumption of the like quantity of Foreign Linnen. For the more Wool our Flocks yield, and the lower the price of it is, and the cheaper our Provisions are, the Clothier can the better afford his Cloaths at a reasonable rate to the Merchant, and he the better dispose of them in a foreign Market. The like may be faid of all other Growths and Manufactures.

But here it will be objected, that when Wool is at a low price, Foreigners Foreigners buy it, transport it, and convert it abroad into Manufactures, and by that means undersel us, to the great prejudice of Trade: To which may be answered, That it is our faults that we cannot work it, so as to afford a better Pennyworth than they: And some of the Reasons why we work not so cheap as Foreigners do may be these:

First, Our Land is very fruitful, and yields more encrease for ordinary Food, tou, than there are Inhabitants to confume it, which begets a Laziness in the meaner fort of People in many places, that they will not work hard, because easie Labour will maintain them: As on the contrary may be perceived by the more Industrious (for all are not Lazy,

Foreigner

nor

nor is it a Disease in all parts of the Kingdom, ) who by their Labour in feveral Mechanic Trades, as well as by Husbandry, do not only maintain their Families, and bring up their Children to work, but encrease in Riches, laying up for their Posterities: Which Indicates

The fecond Reason, viz. Want of Inhabitants: For were there more Hands, more Work might be done, more Provisions spent, to the Incouragement of Hufbandry, and there would be more Husbandmen imployed; that instead of raising the prizes of Tillage, &c. there would be a greater plenty. For our Lands, if well tilled, would in all probability yield Provision enough for three times the People more than now

Won

now it doth. For if there were more People, they must work cheaper; and if Provisions were more plenty, they might the better afford it. And in case that People were multiplyed, by consequence Trade would encrease, and Laziness decrease, it being only the Richness of the Country, with the paucity of Inhabitants, that begets fo great a Pigritude: No places yielding more Commoners, Vagrants, or idle People, than those parts where no public Trade is managed; Imployment attracting People, and People expending the encrease of the Earth, which begets a quick Market, the Joy of the Husbandman; and the better the Land is tilled, the more plenty and cheap the Product the Scools more that There

There are other Reasons why our Manufactures of Woollen, Linnen, &c. are not Wrought fo cheap here as in other Countries, and why our Country is not more peopled than it is, which have been at large fet forth by others; and the treating of them, and the removing some Impediments to Trade, appertain to others, and not to a plain Rustic. Only here may be observed, That the Prodigality of our Gentry and Citizens, and the great Confumption of our home Commodities, Manufactures and Provifions, which feemingly are the occasions of great Returns, and encrease of an Inland-Trade, and the enriching of many private Tradesmen and others, is not in any wife profitable to the whole: But

But on the contrary, Parsimony in all our Necessaries, whether Foreign or Domestic, is most advantageous to the Kingdom in general; for the less of our own we confume, the more we have to fell to our Neighbours, and the cheaper; for Plenty and low price attracts a Trade; and the less of Foreign we consume, the more of their Coin or Bullion would be brought in Exchange for our Commodities: So that instead of the Surplusage of their Wines, Fruits, Silks, &c. more than we need, our Bullion would encrease. For it was the overbalance of our home Commodities and Manufactures exported, to fuch that were imported, that from time to time brought into our Hands those vast quantities of

of Gold and Silver, that for the plenty of those Metals we seem to Vie with the Masters of the Indian Mines; and it is the continuing of fuch an overbalance that must maintain that Import, and the defect thereof may in time occasion the Exportation of the fame Riches. As fometimes hath happened, that in a year of fcarcity of Corn here, which usually happens once in 10 or 12 years, that we are forced to buy of our Neighbours. Their plenty draws great Sums of ready Mony out of our Pockets, because we want more of their Corn than they of our Manufactures, or other Wares.

Therefore to conclude this short

Preface, My advice is to the
honest Husbandman, to Educate
his

his Children to Labour, and to Live sparingly; and to the Tradesman to be diligent in his Calling, to the encrease of the Manufactures of the Nation. And to all others (to whom Honours, Preferments, and Estates have not descended, whereby to maintain or employ them in Higher or other Capacities equally necessary to support Order, &c.) To employ themselves and their Stocks in managing of Agriculture or Trade. And to propose and find out the most easie and frugal ways of doing fuch things that now require great cost and labour to accomplish. As in making Rivers Navigable to facilitate that troublesome way of Carriage now used, which in many places may be done. In

In making Wains, Carts Ploughs, to c. to be drawn with less strength than now they are in making High-Ways more paffable, and in erecting Bridges, &c. for the fewer Carrel are employed in Husbandry, the more may be spared to fend abroad; and the fewer hands used thereabouts, the more may be spared for Mechanic Arts; for it's much more profitable to Export our Commodines wrought than unwrought. For the making of the feveral Rivers Navigable to Oxford, Guildford, &ce. hath confiderably added to the Husbandry and Trade of those Towns, and lessening humane Labour within these sew years, The use of Waggons instead of Pack-Horses, where they could be used, hath much abated the price of omin

of Carriage. The use of Stage-Coaches hath likewife given a greater liberty for People to travel through most of the great Roads of England, to the great encrease of Trade. And the Womens use of Pattons, a feeming inconfiderable Invention, hath faved the wearing of a great deal of Leather; whereby there hath been much the more of it to be fpared for Exportation wrought or unwrought. The San-Mill on the Thames-Bank, hath, by the force of the Wind, done the work of many hands, which is much to the Public advantage. The like would any Instruments be that could but lessenthe labour of Man or Beaft.

If all our Corn were to be beaten in Mortars, as in Hefiod's time

time, instead of being ground in a Mill; and all our Wares, Goods, &c. carried from place to place on Horse-back, as in some places now it is instead of in Waggons or Carts, and all the Water carried from its Fountains to the respective houses in or near London, as for the most part it was before the New-River was made, and the various Engins erected to convey it from the Thames; what a vast number of People and Horses must be then imployed?

great number of People, and beget a very great private Trade to fome People in fome places: But would very much lessen and impoverish the Trade of the Kingdom in general.

b 2

Here

Here it will be objected, that heretofore before many of these new Inventions, we had a great foreign Trade. To which I will only answer, That then our Neighbours were not fo ingenious, nor fo much addicted to Trade as now they are; for had not we hitherto kept pace with them in Ingenuity and Industry; they had long fince devoured our Foreign Trade: Therefore as they thrive, we must emulate them. For Div vine Providence hath feated us on an Island yielding all forts of Neceffaries, Mineral, Animal and Vegetable, for the promoting and carrying on of Trade: Having many secure Ports for the Encouragement of Trade. And its temperature of Air and fituation on the Globe fuch, that it exceeds all other places whatsoever yet discovered: That if its Husbandry be neglected, and its Trade decayed (which necessarily follows) it must very much resect on the Genius of its Inhabitants, which to do, there hath been hitherto no cause: No Nation under the Sun producing so Ingenious, Active, Valiant, and Wise a People for the Management of their Trades and Occupations at Home, and spreading their Colonies and Factories, and multiplying their Effects abroad.

One of the great Advantages to Husbandry and Trade of England is, that there is not a Vill in it but is fituate within 20 Miles of the Sea, or some River Navigable, or that may be by Art and Industry so made, whereby

b 3 carriage

carriage of heavy Commodities useful in Foreign or Domestic Trade may be cheap: As Timber, Stone, Coal, Corn, &c. which not only easeth the labour of many Hands, sparing them for other uses, but the better surnisheth all Markets with such Commodities they want of their Neighbours.

Therefore the cutting and making of Rivers Navigable, is very much to be encouraged, as of Public Use and a National Advantage, and so hath it been esteemed in Foreign Countries: The Navigation on cut Rivers advancing the Trade of many rich Cities and Towns in the Spanish Netherlands, and united Provinces, usually called The Low Countries. And great have been the

the Attempts of Emperors and Princes abroad in cutting Channels, uniting of Rivers, &c. As in\_ cutting a passage between the Mediterranean and the Red-Sea: The making Navigable the Istmus of Corinth, thereby to make fafe and speedy passages from one Sea to another. Attempts have been likewise made to unite great Rivers, as the Loire and Seine at Briare in France, the Soane and the Mosella on the Confines of Burgundy, and the Rivers Redintz and Altmul near Regensburg in Germany, began by Charles the Great, which had it been perfected, would have opened a Navigable Passage from the Rhine to the Danube.

But the greatest Work that hath been attempted and performed,

formed, is the cutting the Royal Canal of Languedoc, making a Navigable passage from the Port of Cette on the Mediterranean-Sea into the Garronne, which emptieth it self into the Western Ocean, which is esteem'd not only the greatest and most stupendious Work in France, but of the whole World. It was first proposed by Cardinal de Richelieu, began in the year 1668. and carried on with great Skill, Cost and Industry, and finished Anno 1686. The length of the Canal is faid to be 50 or 60 French Leagues in length, and in breadth 12 or 15 fathom, that Vessels of good Burthen may pass easily; its depth about 8 or 9 Feet.

This Canal hath its supply of Waters from several Rivers by other

other Canals made to convey them into this Channel of Communication between the two Seas. Besides which there are great Treasures of Water coming of other Streams of Rain and of Snow, referved to supply any defect of Waters that may in times of Drought happen in the Royal Canal or Channel of Communication: This Canal is also carried by a Stone-Bridge over another Navigable River; and in another place it passes through a Hill in an arched passage of 26 fathom in length: In this Canal are faid to be 23 Locks, all of Stone-Work, for the raising of the Vessels, I suppose as they pass from the Mediterranean towards the Garronne; for it is to be fupposed that the Sea at Cette or Mont-

Montpelier, is equally or very near level with the Sea below Burdeaux at the Mouth of the Garronne. And it is evident, that the Garronne from Tholouse runneth at least five times farther than is the distance between it and the Mediterranean-Sea; and the Garronne is upon a continual descent, and because there is a sufficient fupply of Waters, Vessels may pass without help of Locks: But the Royal Canal having only Water to prescrive it full, must be made level, and its descents towards the Mediterranean-Sea must be by Artificial Locks, and in number as is their depth, and the declination of the Country. By this Canal may be transported all Commodities from the Mediterranean-Sea to Burdeaux, and all that

that Coast of France, and so by consequence to the Northern parts of Europe, without the hazard of passing the Streights of Gibraltar, or fear of Turkish Pirats, besides the easie carriage of Wines, Corn, Oil, &c.

I only mention this particular Work, to shew that great things may be accomplished, where Interest, Honour or Glory, excite great Men to aid and assist in such

Enterprizes.

We have here in this Kingdom fome Instances of extraordinary Actions of this Nature, which have been formerly done to the Honour of the Undertakers, and very much to the Advantage of the places where they have been done, and consequently to the Nation in general: As the making the

the River of Thames Navigable from Abington to Oxford, and then farther towards Lechlade, hath proved of very great Advantage to that City and places adjacent. The like the making the River from Gilford in Surrey into the Thames Navigable, hath been very advantagious to that Town and its Neighbourhood, and both of them have added much to the Trade of that Famous City of London.

There was once a Navigable Canal cut from the River Trent near Torksey in Lincolnshire to the City of Lincoln, where it joyned to the River that flows from thence to Boston, and was supplied with Water from that River: It was faid to be done by Bishop Attwater, or Henry 1st, as some will

will have it. However it was an ancient Work, as its Name imports, being called Fossedike, and is visible to this day, although wholly useless, perhaps suffered to decay by reason the Advantages arising thereby might be but small, Trent and Boston being neither far from Lincoln, or perhaps when the Trade of that City decayed (which hath been heretofore very great, as hath been said) this Canal was neglected.

But the greatest Work of this Nature that hath been done in this Age in this Kingdom, was the cutting that famous Aquadust from Ware to Islington, whence by Pipes its Water is conveyed to the greatest part of London and its Suburbs. A Work not only eternizing the Fame of the Undertaker

Undertaker, but of infinite advantage to his Successors and that

great City.

It is not impossible so to enlarge it as to make it Navigable for Wherryes and flender Barges, for the passage of Men and Women, and the easie carriage of all manner of Commodities to the Markets of that great Metropolis, and the return of Coals and other Goods back again. For there is Water enough in the River Lea at Ware to maintain a full Channel all the year, to carry Vessels of good Burden, and to maintain currents of Water in most of the principal Streets of the Famous City of London, which would not only keep them clean and wholefome, but be ready on all occasions, if fudden Fires should happen. There Matthews 1

There are many other Rivers that either flow into the Thames or other (already made) Newigable Rivers, or into the Sca, that may be made Navigable, to the very great advantage of the adjacent Towns and Countries, and of the general Trade of the Kingdom. For it is most certain, where there is Water enough to make a full Channel, and Supply the constant Expence and Leakage of the Locks, the making of fuch River Navigable will be feazis ble, notwithstanding the descent or fall of the River be quick: For where the descent is quick, as from Salisbury to Christ Church, and from Winohester to Southumpton; although there be plenty of Water, yet it is usually broad and shallow, and therefore nor naturally CLOUDE

naturally Navigable, nor to be made fo without many Locks and artificial Canals; for the Current will otherwise be so strong, that laden Vessels are not easily haled against it: Such Rivers require too much cost for a private Purse to undertake to advantage. But if there be Water enough, as in many Rivers in England there is, and the descent not too quick, Locks will raise Vessels into the new-cut-Ganals, through which, although heavy laden, they will pass with ease. It is observed, that the Water descends from Brussels to Antwerp, above 200 Foot, yet is that River Navigable by the help of Locks And that at Fontain, four or five miles from Bruffels, one River is by Arr carried over another for Navigation stutsn

gation-fake. It's the easie carriage of Goods from one place to another that makes fo many and rich Cities and Towns, and Trade flourish in those Countries, and without doubt would do the fame here.

It is not the fetting down the Expence of making a River Navigable, and then fetting down the Income of the Toll, and fo casting up, Whether it will bring in as much per annum as the Interest of the Mony to be expended amounts to, that will make Rivers Navigable. If those Expences had been rightly cast up, the River from Ware to Islington, and that from Guildford to the Thames had not been yet begun: Although there be twenty times the Interest of such Expences advantage to some or other, besides the Pub-

Public. Therefore fuch great Undertakings where fo many are concerned in the Profits, ought to be at the Expence of many: As the Reparations of fome High-Ways, Bridges, Havens, Gc. have been at the Charges of more than the adjacent Inhabitants, because

the Profits extend farther.

It hath been a long time under Confideration, and feveral have pretended to be Undertakers of it, viz. The Uniting of the River of Thames with that of Avon that flows to Briftol, making a Navigable Communication between the Cities of London and Briftol. The possibility of accomplishing this Enterptize hath been much argued, and I will not here contend against it, supposing the same may be done, so that there be Water enough to supply such a Na-

a Navigable Canal that must be made between the Heads of two fmall Streams that lead to each River, which will be very difficult to be had, where there is no other Stream or River mear, to be brought into it, to supply it. For it is not a little Water that must maintain such a Navigable Channel in the Summer-time, and the Leakage of the Locks at each end, which must be for raising up and letting down of Veffels, that ought daily to pass through this Channel; and in case there should be a constant supply of Water, yet would the Expence of making fo many Locks as would necessarily be required on those small Screams, be so great, that it would be insupportable, or at best very unprofitable to private Purfes. For a finall Scream hath a much

much quicker descent than a large and heavy River, for this worketh it felf into a level, there being not so great a descent from Kingston upon Thames to the shore at Putney, as is usually in a miles length of a small River; besides small Waters are uncapable of Navigation, unless pent up to a level. But without doubt if this Work were done (in case it be possible to be done) it would be of very great use and advantage to all that Trade between those two Cities, and an enriching of feveral Countries adjoyning to the faid Channel, as well in their Husbandry as Trade.

The making of Rivers Navigable being at the first, a Work of great Expence, is too much for private Undertakers: Therefore if there were a Fund of 20 or

30000

30000 l. per annum raised out of some foreign Commodity, or on Coals, or the like, to be applied for that purpose, In a few years time many Rivers in England might be made Navigable, whereby Coals and other Marine Commodities might be imported to; and Timber, Wood, Stone, Corn, &c. be exported from the more Inland-parts; and a small Impofition on each Barge or Vessel would be fufficient to maintain the Locks and Canals in repair; which would prove a very great Incouragement to Husbandry and Trade: As appeareth in all places situated near a Navigable River, where Farms yield good Rents, and yet plenty of all things abounds: That all places may partake of the like Felicity, is the desire of all true Englishmen.

The

## The Analysis or Summary of this Second Part of the Mystery of Husbandry.

The Preface or Introduction, shewing the great advantages that Husbandry bringesh to Trade, and the dependencies the later hath on the former

Chap. 1.

Of Hubandry and Improvements in general plainly discovering that there is a spontaneous Generation, and growth of Vegetables and Animals 6.1 That there are spontaneous Productions of Plants 2 Some affert that all Plants are produced of Seeds 4 That there are spontaneous Productions of Animals 9 Not contrary to the Scripture

Chap. 2,

Of the great benefit and advantages of enclosing

Lands 15

Profits of enclosing Lands 16

Chap. 3.

Of Meadow and Pasture Lands, and the several ways of their Improvements 21
Improvement of Pasture-Lands a double Improvement 22
Sowing of Parsly an Improvement 23
Sheep fatten on Turneps 24
Parsley preventeth the Rot in Sheep ib.
Improvement by Cole-seed 26
Chap.

# The Contents

Chap. 4.	
Of Arable-Land and Tillage, and of grains, pulses, &c. usually propaga	the fevera
a rough	28
Mowing of Wheat in the Grass.	ib
Rathripe-Barley	29
Making of Malt	31
Fermentation of Meal	38
The cause of roapy and windy Drink	ib.
of Fremp and Flax	41
Benefit of Hemp-feed	ib.
Of the making of Linnen	42
I be Description of the Engin for dressing	of Hemp
and Flax	43
Of the making of Paper	49
Of the making of Cordage	13 PACE CE
Chap. 5.	7 0 mpm 4
Of the manuring dunging and soiling of	Cando or
Denshiring of Land	ib.
A denshiring-Plow	
meets, I & .quid Engins , breident to	53
.0	u alt
of the benefit of raising, planting, and	propaga-
ting of Woods	1 50
Preserving of Woods good husbandry	10.
Cutting of Woods as a due feafon good husb	anary of
An easie way to eradicate great Trees	63
Chap. 7. & 8.	
of Fruit-Trees and Garden-Tillage	66
Chap. 9.	* ***
of Several forts of Beasts, Fowls and	Injects,

# The Contents.

kept for the advantage and use of the Hus-
bandman 67
Of Horses ib.
Of Coms 68
To make the best Butter and Cheese 69
A new fort of Milk-pans 71
Of fatning of Cattel
Chap. 10
Of common and known external Injuries, Ene-
mies, and Diseases incident to, and usually
afflicting the Husbandman, and their Preven-
tions and Remedies 76
Prevention of scarcity of Fodder by drought 77
To prevent Turnip-Seeds from being destroyed by
Birds and other Vermine ib.
To prevent smut in Wheat 79
To mow or reek Wheat to prevent Mice 80
To destroy Snakes, Adders, &c. 81
To prevent and cure the Rot in Sheep 82
Destination of Land
Chap. 11.
Of Instruments, Tools, and Engins, incident to
this profession of Agriculture 83
Of the Steel-Plough ib.
Of the French-Plough 85
The description of a Trenching-Plough ib.
Lotter warmer of Francisco with the Million of the Company
The take may to available great freez

Chap. 7. & 8.

Chap, on Chap

of Problems and Garden Things

CHAP,

## CHAP. I.

million Landers, and

ed by swar income See

Of Husbandry and Improvements in general; plainly discovering that there is a spontaneous generation and growth of Vegetables and Animals.

In my former Treatife of this Subject, and the first Chapter, I discoursed somewhat of the Matter or Essence of Vegetables, from which they receive their substance, That inexhaustible Treasure from which the Husbandman, by a proper application of his Seed, extracteth so great Riches: I will now make some small addition to that Chapter, in opposition to an Assertion sometimes made; which is, That every Plant

is propagated by its proper Seed; And, That Nature produceth nothing spontaneously.

That there are spontaneous productions of Plants.

Now what can be more plain, Than that every part of this Globe of Earth (where the perpendicular Rayes of the scorching Sun, or the defect of those attracting beams in the Frigid Zone or the great quantities of Egyptian or Lybian Sands prevent not, ) affords its larger Forests, Woods, Groves; Or its lesser Shrubs; Or its fertile Plains, replete with great variety of small Vegetables, some as Medicines, others as Poylons, some as Food, others as Rayment to their respective Inhabitants, and for Pasturage to the numerous Herds and Flocks of Cattel and other leffer Animals feeding on them, without being planted in such places by Humane Industry, or the Seeds transported in the Air to fo remote parts. The Western Islands also that lie remote from the American Continent, although uninhabited by Humane Race, yet afforded to the first Discoverers large Woods and fruitful Pastures, which fed our European Cattel when put on shore, and on which they multiplied and prospered exceedingly; fuch Vegetables that were so far from

from being propagated by Seeds carried thither in the Air, or by any other means, that the Species of some of them are not to be found in other Countries.

The Histories of the first Discoveries of the Western Continent, and the Islands remote from Land on every side, will firmish you with variety of Examples of

this nature.

0

1,

n

d

d

n

h

1-

ar m Besides, there are many Plants that are spontaneous only at certain Seasons, and not at other, according as the Receptacle or Matrix of the Earth is enclined; For sometimes over-much moisture, in a way year, causeth Land to emit other Plants than before it did in dry years; and the laying of dry Land wet, or wet Land dry, very much altereth the Species of Vegetables that spontaneously proceed from it.

Mr. Evelin in his Philosophical Discourse of Earth, gives an account of what Dr. Morison affirmed of the Plant Erysimum or Irio, that after the Constagration of the City of London, more of it appeared amongst the Ruines, than was known to grow in all Europe besides: It being (as he saith) a curious Exotic, to be

found most about Naples, and but rarely elsewhere.

Examples of this nature are many, where after the felling of one fort or Species of Wood another hath succeeded; and where Land that hath been frequently sown with one sort of grain, hath produced other grain than what hath been sown.

The same Mr. Evelin in his most excellent Discourse of Forest-Trees, relates from a Person most worthy of Credit, That in the Territory of Alzey (a Country in Germany, where they were miserably distressed for Wood, which they had so destroyed as that they were reduced to make use of Straw for their best Fewel,) a very large Tract being newly plowed, but the Wars surprizing them, not suffer d to sow; There sprung up the next year a whole Forest of Pine-Trees, of which sort of Wood there was none at all, within less than fourscore miles.

Some affert that all Plants are produced of Seeds. Many other Relations there are in Pliny, and other Authors of the like nature, which I need not mention; Only here I cannot but take notice of the farfetch't Cause of such unexpected productions of Vegetables some have given,

viz.

viz. That because God said, Gen 1. 1 bave given you every Herb bearing Seed, and every Tree in the which is the fruit of a Tree yielding Seed: Therefore all Vegetables are produced and multiplied of the feed of the same Species, and by no other ways, and deny all spontaneous Productions. And to back this Affertion, have found out a way whereby the feeds of all Vegetables may be conveyed from one Country to another, viz. by the Wind, from whence their Species may be renewed or propagated de novo in places where formerly they have not been known. And imagine that the Showers of feeds mentioned by Pliny in lib. 16. cap. 33. 6. lib. 19. cap. 3. were first exhaled from Trees or Plants of the same kind; and to make this feem more probable or easie to obtain Credit, they have discovered that there are several Plants that produce feed, which formerly were reputed barren; and those seeds so small that with the Wind they may easily be transmitted from place to place at a very great distance, whereof Mr Hooke, Fellow of the Royal Society, in his little Tract, intitled Lampas, gives you some instances. As that Observation of his own about the

the feed of Moss, which with his Microscope he found to be very numerous and very small, that there will need no less than nine hundred and threescore thousands of them to cover the superficies of an inch square; and that the number of them in a grain weight cannot be less than one thousand three hundred eighty and two millions: These seeds he suppofeth may eafily be drawn up into the Air and carried from place to place, even to the tops of the highest Towers, or to places most remote, and be sown by the passing Air, or falling drops of Rain; and that it is not in the art of Man to leave Earth exposed to the common Air, and to exclude the entrance, or prevent the fowing of these imperceptible Seeds.

Another was an Observation of Mr.W. C. of Bristel about Fern-seed, which he found to be likewise very small, and numerous, and that the little Boxes containing the seeds were in most of the Plants not half, and in some not above one third, or one quarter as big as a very small grain of common white sand; and that some of those bladders contained about 100 seeds, which were so exceeds

ing small as to be wholly invisible to the naked Eye, and indiscoverable without

a Microscope.

I will not gainfay these curious and ingenious Observations, nor question them. But these do not at all manifest that all Plants are produced of feeds taken from the fame Species. For how could the Wind carry the heavy, though small feeds, of Pursane from the Continent above 1000 miles over the Seas to the Island Santa Helena, where at the first discovery thereof it plentifully grew; and the feeds of the Cedar from Mount Libanue, or any other Continent, to the Island of Bermudas, where so great Woods and Groves of it were found at its first discovery? Or how could the Seeds of the various kinds of Grass be wafted over so large Seas into all places, almost throughout the World, by the Air only? For although the feeds of them are but finall, yet have they their weight; and notwithstanding they may by Hurricanes, tempestuous Winds, or the like, be elevated to a great height in the Air, yet have they a tendency towards the center of the Earth, and cannot long reremain at fuch a distance, as to be transmitted B 4

mitted from one Country to another, nor indeed is there any necessity thereof: For although every Plant may yield its feed by which it may probably encrease, yet that is no reason but that every soil may fpontaneously produce some Vegetable it is most enclinable to. As some Seas yield Coral, some one fort of Weed, some another, the like of other Waters; likewife fome Plants yield one fort of Excrefdence, and some another, which cannot be imagined to proceed from material feed, no other than the variety of Mushrooms, Mold, &c. which differ according to the nature of the foil, or the feveral fubjects from whence they grow, thefe rather proceeding from the universal Agent, as it is more or less animated by the Celestial Sun, and as it meets with its proper Matrix, so it produceth some Plant or other. Now the use the Husbandman may make of these natural and fpontaneous productions, is, that by them he may discover the temper and strength of the ground that produceth them, that he may either multiply the same Species, if for his advantage, or fuch other that are confimilar, or avoid planting or fowing in Land of a contrary nature.

Que robora cuique, Quis color, & que rebus natura ferendis, Humida majores Herbas alit,--Picea, Taxique Nocentes Interdum, aut Hedera pandunt Vestigia Nigra. Virgil.

For it is observ'd that where Brambles flourish, the Vine will prosper; and that Land natural to the Birch is not good for Apples, Pears, &c. That Tree delighting in the lightest and poorest, these in richer and stronger Lands. Many of the like Observations may the Husbandman make of the nature of his ground, and accordingly may he apply proper feeds or plants to the fame.

It hath been also afferted. That no Ani- That there mals are produced but by the act of Generation, each proceeding from others ductions of the same Species. But if they that are of that opinion do confider that there is no habitable place on this Globe that is not replete with Animals greater or lesser, and some places with both, notwithstanding it doth not appear how the first of them came thither; They will eafily grant,

are Spontaof Animals

grant, that the same universal Agent or Spiritus Mundi that never resteth, may when it meeteth with a proper subject cause Animation, as the matter is whereon it worketh; for some places or things being less prolific or fertile are apt to Vegetation, others that are more, are apt to Animation or the production of Arimals by the power of the same Agent. As moift and fruitful seasons and places yield more Infects than dry and barren. And standing Pools and mature Fruits naturally afford small Animals, which never were generated by others, but only by the Universal Agent. Many instances hereof might be given; for almost every Plant produces some Insect or small Animal proper to that Plant: As the Mulbery, the Silkworm, Apples, Pears, Plums, &c. Worms peculiar to these Nots also have Worms within their shells there generated by the same natural heat or spirit that produced the Kernel, and not from any external feed or Egg 5 for that Worm worketh its own way out of the shell, and then ceaseth to be.

Mr. W. C. (that before gave an account of the Fern-feed) to the admiration of him,

him, and others with him, observed many differing kinds of small living Creatures wholly invisible to the naked Eye, and even through largely magnifying Spectacles, though some of them were to be feen through a deep convex Glass; but with a Microscope, when the Plant was newly gathered, they might be feen nimbly running up and down among the feed Vessels. Lampas p. 50.

Perhaps it will be faid that these Animals are produced of Eggs reposited there by some small Flyes, as the proper place or Matrix for their production; as Flesh-flyes do the like on putrifying flesh, But why may they not be there engendred by the universal Agent as well as Mites in Cheefe, or those nimble Fishes in Vineger, which are never observ'd to be transformed into Flyes, and to uncapable of transporting their Eggs from place to place?

This supposition of the spontaneous Not conproduction of Animals out of places and the Scripthings capable of impregnation from that ture. universal Agents is not contrary to, but agreeable with that Command, Gen. I. Let the Earth bring forth the living Crea-

ture after his kind, Cattel and creeping thing. To which we will subjoyn the Opinion of the Learned Dr. Stilling fleet in his Origines Sacre, Book 3. cap. 4. "It feems very probable (faith he) that "at least those parts of the Earth which " were thus divided from each other, did "bring forth these several living Crea-" tures after their kinds, which did after " propagate in those parts without being " brought thither by the help of man. If " now this supposition be embraced, by "it we presently clear our selves of many " difficulties concerning the propagation " of Animals in the World, and their "conversation in the Ark; which many " have been so much to feek for satisfacti-"on in. As how the unknown kind of "Serpents in Brasil, the slow-bellied "Creature of the Indies, and all those " strange species of Animals seen in the "West-Indies, should either come into "the Ark of Noah, or be conveyed "out of it into those Countries. And aftermard the Same Author adds, "Besides, some kind of Animals cannot " live out of that particular Clime where-"in they are; and there are many forts " of Animals discovered in America, and " the

"the adjoyning Islands, which have left "no remainders of themselves in these

" parts of the World.

h

1

reffy

r

flee

Therefore let them that are for confidently opinionated, That every thing we discern to have life, proceeds from an Egg; confider from whence these Multitudes of Locusts, Grashoppers, Caterpillars, Frogs, Chaffers, &c. that in some years and in fome Countries do appear, although at fuch remote distances of time, that in case they were produced of Eggs left in the Earth by some former flight of those Infects, it will prove very difficult to demonstrate how life could be preferv'd in such Eggs so many years; or else how the Wind could carry them from one Country to another, or out of different Climates; or how the Eggs of Infects could be conveyed into Nuts, Fruits, Woods, Stones, &c. which frequently afford those Animals: Nay, Snow it felf is faid not to be without its proper Inhabitants, although there be fometimes two or three years interval between any quantities lying in these parts.

The Bodies of Men and Beasts afford many Examples of Worms bred in the most inward parts, even in the Brain and

Mar-

Marrow of the Bones. But where they lay their Eggs, and how they should be convey'd from one to another, will be difficult to determine. Therefore when I consider of the many instances of this kind that may be produced; and the difficulties on the other hand, I am the more confirm'd in my opinion, That there is scarce any created being that hath any thing of moisture in it, but may be a proper Matrix for the univerfal Agent or Spiritus Mundi to act upon for the production of some Animal; and according as Plants are (from some fuperior influence) more corrupted, fo do they emit greater numbers of some forts of Animals or Infects, that they become a Scourge to the Husbandman, whose knowledge of these things is not unnecessary, that he may use means to prevent or cure fuch Plagues. The prevention and cure whereof in the Tenth Chapter of the former Treatife is partly treated of

#### CHAP. II.

Of the great benefit and advantage of Enclosing Lands.

N the former Treatise in that Chapter of this part of Improvement of Lands, I gave an account of the great advantages Enclosure would produce, and the many Objections raised against it, and Impediments that hindred it, with their Answers and Removals. Since the writing whereof, several worthy and ingenious Men have endeavoured to promote this Piece of Husbandry, which I may truly Stile, The first and principal Point of Agriculture; For unless the Husbandman can at all times and feafons, when he pleafeth, nse his Land, and plant and fow in it what he will, and defend it when he hath done, from the common annoyances to good Husbandry; It is in vain for him to use any extraordinary labour, or be at any extraordinary expence, or hope for any advantage from it. So that there would be then no difference

ference between stupidity and Ingenuity, and all Industry would be hereby discouraged.

Profits of Enclosing Lands.

Some have been of Opinion, that Enclosing improves Land to a Ten-fold. others to a twenty-fold advantage; that is, that by the means of Enclosure the Husbandman may by his Industry on fuch Land, in planting several Hortulanes or Orchard Fruits, raise aswel to the Public as his own advantage, much more than he could on open Land seldom fruitful, and subject to almost all manner of inconveniencies, as Cicero says, Ager quantumois fertilis, sine cultura fructuosus esse non potest. There is no Country that is celebrated for good Husbandry or Ingenuity in our temperate Clime, but their Lands are divided into severals, as the rich Provinces of the Netherlands. The most fertile parts of France and Italy, the Garden of the World, sufficiently evince. Nor is there any place in this Kingdom flourisheth more than where Enclosures are most. The open Champain Countries and wast Lands producing multitudes of poor, ignorant, lazy and improvident people, depending so much on the fmall.

finall Priviledges and Advantages they raise out of the large Forests and wast Lands, that Hunger and Cold for the most part of the year, and Ease through out, are sweeter to them, than Labour or constant exercise in some honest Trade or Husbandry, which might lodge, cloath, and feed them and their Families, after a far better manner than the best of such

Borderers ever enjoy'd.

For any Traveller may observe that in the enclosed Countries, the Hedges are all replete with Timber and other Trees. that they are deservedly called The Wood-Lands, and were so called in former Ages: And not only with Timber for building, and Trees for firing, but with plenty of Fruit-Trees in the Hedges and Orchards dispersed throughout, so that these enclosed Countries afford Fruits which are carried far into the Champion, and Cider in fuch plenty, that they spare great quantities for their ignorant and lazy Neighbours. The Buildings also in these enclosed Countries, where Materials and Artificers are more plentifully to be had, far exceed those in the Champion and Forest-Lands; and Market-Towns well built and populous, standing much nearer

here than in the other. All forts of Mechanic Trades, on which the General Trade of the Kingdom depends, are in these enclosed Countries principally managed. Here are the industrious Husbandmen constantly employed in improving their Lands, and here are Markets wherein they weekly vend the Fruits of their Labours, to the seeding and sustaining the Artificers and Trades, who best substitute in such places, where most is to be had at the easiest Rates. Now hear old Tusser;

Moze plenty of Autton and Beef, Cozn, Butter and Cheefe of the best; Moze Wealth any where (to be bzief) Moze People, moze handsom and prest;

There find pe (go fearch any Coast)
Than there where Enclosure is most?

objection. 1

There is one grand Objection raised by inconsiderate Men against Enclosures; to wit, That Enclosing of Wasts, Downs, &c. will prove a decay of our Herds of Cattel, and Flocks of Sheep, and so by confequence, of Wool.

g r g ddd

to

c.

n-

To which I answer, That if 20 Cattel Answer. must have 100 or 200 Acres of good wast Land, or that 2 or 300 Sheep must have 5, 6, or 700 Acres of open Down-Land to depasture on, according to the present use and custom: In case so much thereof be enclosed as lieth convenient for Enclosure, half the quantity of such open Lands being laid up to common Grass, will feed more than the whole did And in case that before it was enclosed. ten Acres thereof fo enclosed, were fown with Clover-Grass, Turneps, Cote-Seed, Parsley, or the like, they will feed as many Cattel or Sheep as 100 Acres of the fame Land would have done whilft they were wast; and the relidue may the Husbandman convert to other uses, or multiply his Herds or Flocks therein as he pleafeth, and in his feveral Enclosures may he raise several Species of Pasturage, fome for fatting, some for feeding, and others for preferving his Cattel or Sheep in health, as he finds cause. For the only reason why there is so great a breed of Cattel, and are such great Flocks of Sheep on the Wasts and Downs, is, because they are not convertible to any other ule, C 2

use, or else the Husbandman is not suffered so to convert them; it being frequently observed that where the Lords will permit, the Tenants are ready, and do Till and Manure much open Lands; notwithstanding which, neither Cattel, Sheep, nor Wool, are any whit the dearer.

CHAP.

## CHAP. III.

Of Meadow and Pasture Lands, and the several ways of their Improvements.

He ancient Meadow-Lands in many places of this Kingdom have not born the fame values within these late years as formerly they did, by reason of the encrease of that excellent and profitable part of Husbandry, the fowing of Clover-Glass, and other fuch like new Graffes and Hays: Yet are Meadow-Lands in great efteem, and yield greater Rents than Pasture or Arable; because of their producing Grass and Hay, as is known to every Husbandman, and that they yield their encrease spontaneously, without Cost or Labour; and therefore are called Prata, quasi parata. Pliny tells us, Pratorum facilima agricolis cura ac minimi dispendij, That Meadows require the least Care or Costs of any Lands; and therefore little can be faid to their Improvements,

ments, more than hath been faid already.

Improvement of Pastrue-Lands a double Improvement.

But as to the great Improvements made on dry Lands, by the fowing and propagating of new Graffes and Hayes, much hath been done, and the advantages that are yet to be made by a farther profecution of that piece of Husbandry, are very confiderable. For the encreasing of Meadow and Pasture-Lands is not only the Improvement of those very Lands; but by the Country-mans converting of fo much Corn-Land into Meadow and Pasture, puts him upon a necessity of a farther improvement of more barren Lands for an encrease of his Corn. So that it proves a double improvement, as indeed doth all Improvements by altering the products of it. As converting of Pasture-Lands into Gardens, Orchards, &c. begets a necessity of encreasing our Pasture-Lands on the Arable: And the converting of Arable Lands into Pasture or Meadow begets a farther Improvement, by reducing our naked and wast Lands into fertile Corn-Fields: For where there is good Hufbandry at the Center, it spreads to the

Superficies; Good Tenures, Good Trade, and a good Market, will make Husbandmen ingenious.

Amongst the several Grasses, Hays, &c. that have been mentioned by former Writers on this Subject, we do not find that Parsly hath been treated of as an Improvement to our Pasture-Lands, although some ingenious Men have made trial of several Acres sown with Parsly-Seed to very good effect.

It is observ'd, that some fort of Grasses do alter the tast of Mutton, and that the fweetest Mutton is that which hath been fed on the finest and sweetest Grasses, as is experienced on the Peak in Derby-Shire, and on the Plains in Wiltshire, Hampshire, &c. And on the contrary, the coursest Mutton is produced from the groffest Meadows, Marshes, &c. which later rich way of fatting Sheep, is most advantagious to the Husbandman, but doth not humour the Pallat of the Eater, so well as such Beasts that live on the dryest Mountains without water. For Sheep fatted on Clover, and the like rich Nourishment, are not so delicate meat as the Heath-Croppers; fuch rank feed begetting

Sowing of Parfley an Improvement. getting too great and sudden a change in the Meat. The like difference is also observed in Conies.

Sheep fatten en Turneps. Sheep fatten very well on Turneps, which prove an excellent Nourishment for them in hard Winters, when Fodder is scarce: For they will not only eat the Greens, but feed on the Roots in the Ground, and scoop them hollow even to the very Skin; The Turnep is of hotter nature than Clover-Grass, and therefore more agreeable to these Cattel.

Parfley preventeth the Rot in Sheep. But much more hot and drying is Parsley, even in both, to the second degree; and were it throughly experimented, doubtless would prove very good Nourishment, and not subject those dry Animals to the Rot, nor vitiate the tast of their Flesh so much as the other colder Food would do.

The Rot being a Disease occasion'd by the Sheep their seeding on too much cold and moist Meat, and is prevented by hot and dry: As their seeding in shady places in some Grounds, where the Dew lieth long on a certain broad Grass, na-

turally

turally enclineth all Sheep feeding there; to the Rot; and by such that have to their Cost made experiment thereof, such Lands have been converted to otheruses: When on the contrary, the feeding of Sheep on Salt Marshes and Brackish Grounds preventeth the Rot, and the giving them Salt with their dry Meat, is esteem'd a Cure of that Disease.

Therefore Parfly (being of such a hot, dry, Saline, and Anti-Hydropical nature, and as my Relators assure me) so much desired by Sheep (as I am sure it is of Conies, much of the nature of Sheep in respect of their feeding) may very probably be, not only a very good security against the Rot, but may render the Meat rather better tasted than any other food what soever.

And it is a Plant very eafily propagated, and the Seed plentifully obtained; few Plants yielding more, and that also eafily separated from its Stalks: The Ground the finer it is dressed, the better will the Parsly sown therein grow and prosper; and it will endure the hardest Winters, and continue more than one year; but how many, a careful Improver will quickly discover: And of what particular

ticular Uses and Advantages this Piece of Husbandry may prove (besides the general way of seeding Sheep) an ingenious Husbandman will soon find out.

Improvements by Cole-Seed.

The fowing of Cole-Seed for the fake of the Seed hath been always esteem'd a great Improvement of strong and moist Lands. But of late it hath been found that the depasturing the green Herbage thereof hath confiderably advantaged the Husbandman. A particular Example whereof is related in Mr. Houghton's Collection of Letters, for the Improvement of Husbandry and Trade, viz. Of one that fowed fix Acres of ground which he ploughed and ordered as for Wheat, with Cole-Seed about Midsummer; about the beginning of November he put an hundred Ewes into his Coleworts: The Ewes all cast their Lambs before Christmas. The Colemonts fo fed these Ewes and Lambs, that he fold them at a great Rate, and when the growth was eaten up close, he plowed and fowed his Lands with Oates, and had eight Quarters grown on every Aere.

To sow Cole-Seed for the Pasture-sake there's no need that the Land be so rich

and

and moist as if it were for Seed, only that it be good Wheat-Land. It maketh a good Lay for other beaten Grain; for undoubtedly it kills Weeds, and the depasturing Sheep on it much meliorates the Land. That which is fown about Midsummer for Seed, gives you not its encrease till the next Summer, but this the first Winter. These Improvements of Pastures by Parsley, Turneps, Cole-Seed; nor that by fowing and feeding of Buck-Wheat, mentioned in the Fourth Chapter of my former Treatise of this Subject, are not yet brought into publick use; but may prove very advantageous to the skilful and industrious Husbandman, and confequently to the Kingdom in general,

## CHAP. IV.

Of Arable Land and Tillage, and of the several Grains, Pulses, &c. usually propagated by the Plough.

Mowing of wheat in the Grass.

Thath been observed, that in a warm and showry Spring, Wheat in rich Lands hath grown exceeding Rank, that the Husbandman hath, for the benefit of his Wheat, early in the Spring, depastured his Sheep on it to abate its growth and weight, which otherwise would be apt to lodge. But of late some (who have found that expedient too weak, where the Wheat hath grown too fast, or that they have not had Sheep enough proportionable to their large Wheatfields to feed it down) have mow'n their Wheat, yea as late as the end of May, when it hath been almost ready to Ear, after which the Roots would emit new Stalks more in number, though not fo strong and rank as the former, nor fo apt to lodge. For the extream weight and rankness of the Corn would have

unavoidably made it to lodge, which begat a necessity in the Husbandman to try this way, else he might have lost his whole Crop; for Wheat lodging when it first begins to shoot its Ear, rarely ever stands again. Many in the rich Vales of Berk-shire did so mow their Wheat in the Year, 1683. it proving an early and showry Spring: As to the effects I had no account of them; which I question not but that they were answerable to their Intentions: For all Vegetables tend to femination; and the more you depress or take off the first shoots of any Fruit or flower-bearing Plants, the more will they multiply their proper Productions, or at least will emit new Blossoms, Fruits, Flowers, &c. As hath been observ'd in many Hortulanes, as Roses, Strawberries, Beans, &c.

There are divers forts of Wheat Ruth-ripe which I have mentioned in my faid for- Barley. mer Treatise, and more are fince taken notice of; of which there is one fort that carries divers Ears on one Stalk, but not yet common. But of Barley I hear of few more than two forts: The common which is univerfally known in this Kingdom,

Kingdom, and that called Patney or Rathripe Barley, which is sometimes sown in Wilt-Shire, Berk-Shire, Oxford-Shire, and some part of Cornwal, and in few places else, notwithstanding the advantage of its early ripening, it having many times been fown and returned to the Barn again in two months time, always in nine or ten weeks time at the farthest; which in wet and backward Springs, and moist Autumns, must needs prove a great advantage to the Husbandman. For in fome years a very dry Spring may postpone the Season for sowing this Grain, or a man may not have time, without a double strength, to fow the common Barley before the Season for that be quite spent; or the former part of the Harvest-time may be fair, when the later is foul; in either of these cases the sowing of this quick growing Barley may be confiderably advantagious; or at least that where a man hath much Land in his Occupation fit for this kind of Grain, he may, instead of making his Seed-time and Harvest near about a time, for this common fort, use so much of this Rathripe Barley, that his Seed-time may be longer and more easie, and his Harvest the

the like, and withall more certain. There is a fort of Barley that is reported to be newly discovered, by an ingenious mans accidentally lighting on an Ear that had fix Chests or Rows of Corn on it, which he sowed, and thereby raised a quantity, all bearing the like Ears, which is likely to prove a considerable advantage.

Whilst we are now discoursing of Bar-Making of ley, it will not be amiss to say somewhat concerning Malt, that being the most considerable Grain used for this purpose. Many Ages since hath Malt, made of Bar-

above 1600 years since. Therefore whoever he was that first found the Art of making Malt, and (of that) good Ale, shewed himself to be a far greater Philosopher, than he that first squeezed the Grape.

ley, been used for the making of Ale or Beer; else could not *Pliny* have given so great Commendations of this Drink

Although that making of Malt is become a common Trade in most of the principal Towns in this Kingdom, and many are exercised in that Trade, that do not apprehend the Reason why the

Malting

Malting of Corn hould make it yield a Better and more acceptable Drink than the same Corn would have done before it had been malted. It will not therefore be amis in this place a little to Philosophize on that Subject; For it is most evident, that the Meal or Flower of any Corn or Grain unfermented, being concocted in a proportionable quantity of Water, will make a glutinous or mucilagi-As Laundresses usually nous matter. make their stiffening Liquors for their Linnen, of Starch, which is only the Flower of Wheat reduced into that form; and in case there be no more Water added than will make it up into the form of Bread, and fuch a mass be baked without fermentation, it cometh forth like a lump of Clay, ungrateful to the Pallat, hard of digestion and unwholsome; so that neither Bread nor Drink made of Corn, without Fermentation, could fatisfie our Ancestors, which excited them to the discovery and use of Fermenting of their Bread-Corn by Leaven, and fince that by Yest, which is no other than the fcum of Ale or Beer made of malted Corn. Malting being no other than a fermentation of Corn, making it yield

to the Brewer its Spirit and Tincture, pleasant to the Palate and wholesome to Humane Bodies sextractions or decoctions of unfermented Grains being pale and not tinged or coloured; as are those of malted or fermented.

The imbibition or steeping of Barley in Water for 2 or 3 days or more, as the Season requires, hath this operation that it relaxeth the viscous matter of the Grain that defendeth and preserveth the life that is in it, from Heat and Cold; for as long as its Viscosity remains, the Grain or Seed is capable of Vegetation; but when by age or other accidents that is decayed, it becomes a dead Body; For fuch relaxation must be made in all Seeds fown in the ground, by the moisture they find there, before they can vegetate or encrease.

Now after the Malster hath steept his Barley its due time in the Ciftern, (for it must not lie there too long, lest it lose its vegetating Vertue too much by dissolving its whole body into a foft fubstance,) Then he layeth it on a heap, where it acquireth some warmth (as all moist Vegetables will do, when lying close together, be the bit-

ishen the Barley is in the Ciftern if it be flirred well, and the light Grains that float be scum'd off, the Malt will

which causeth the Barley to emit its Root which they call Chitting, which the Malster suffereth to grow to a certain degree of length; then spreadeth it abroad, and by his careful turning, stirring and gradual drying his now-making-Malt, he prevents the overmuch growth of the Roots which now are called the Come, from their hair-like form; for till the Come is out long enough, and the Corn begin to spring, the viscous matter of it is not enough putrified, dissolved, or rather changed; and if they are suffered to grow too much, the Stalk of the Corn will shoot and extract too much of the Vertue of the Grain, leaving nothing but an empty Husk behind it,

As the overmuch comeing and springing of the Stalk of the Malt empoverisheth it; So its not coming or springing enough, leaveth it but in part malted or sermented; and so dotn the unequal coming or springing of it, that is, some of the whole Grains throughly malted, and some of them not, which is occasioned sometimes by the unskilfulness or negligence of the Malster by not duly ordering his Heaps, or turning the same, whereby the Corn on the outside of the Heap through drought,

drought, comes or fprings not enough; and that on the infide through warmth comes and fprings too much, and fo becomes Acrospired or Akerspired, by reason that the Stalk (here resembling the Germinating of a growing Acorn, and which the Learned Dr. Grew calls the Plume) extracteth the vertue of the Grain; or else from the uneven growth of the Barley, which in some years from the unseasonablens of the feed-time becomes Ridgegrown, that is, some part thereof being grown green above the ground before the other part through drought be come up, yet by reason of some Summer Showers all growes to the Harvest, whereone part is ripe before the other, from the one of which Causes there is much Malt that is not good.

After the Malster hath thus by his skill and industry, so made this Grain to ferment, that by a certain degree of putrifaction the viscous or tenacious matter of it be relaxed; and by his nimble hand hath prevented the expence of its Noble Spirit; He then makes use of the third part of his skill, The calcining or drying of his Malt, which puts a stop to all surther Germination, and makes it capable of

being

3

,

r

C

£

es

10

s,

h

it,

being preserv'd for use: But the principal end of it is to make it yield its Spirit and Tincture. This calcination or drying must be gradual, and not hasty; for the longer Malt is drying on the Floor before it be laid on the Kiln, the better will it be; for all hasty Calcinations wast the

Spirits more than flow.

It is most certain that every Seed contains a great Spirit in it, some more and some less; For it is the Spirit in it that preserveth it, whereby it endure so much Cold, Heat, &c. as most forts of Seeds usually do: And in this Spirit in the Seed is concentrated, the vertue, form, power and whole Idea of the Plant that produced it; else could it not by being fown in the Earth, present unto you again, another Plant in every particular like to that from whence it came. And this Spirit in Barley is very great, as may appear by its product; for one Barley Corn sown in the Earth, hath sometime produced 30 or 40 Stalks, and on them 5 or 600 increase of Seed; and by some additional improvement, a far greater; when the Seed of many other Plants produce but one Stalk to each Seed: Therefore the fermentation of this Grain by Malting is not

not an exaltation of its active Principles, as some would have it, but a dissolution or relaxation of that viscous matter that detains them, and puts a cheque or stop to its Vegetation, which would otherwise according to the Laws of Nature necesfarily follow and exhaust its Spirits; For common Water cannot be supposed to add much to the exaltation of the Spirit, or active Principles of Corn: Nor indeed can any thing add to the improvement of the high vertue that is in Seeds, but what containeth in it much of the Spiritus Mundi, or Universal Agent, As Nitrous Waters, Salts, Dungs, &c. or their being fown in fresh Land that is enriched with it; For Water is but a vehicle to convey fuch Principles: Water and the Principles being not the same thing.

After the Barley is opened and its vegetating property prevented by drying it; it is now thereby made capable of yielding its Tincture or Vertue; For the Aquofity or Phlegme of any thing, especially of a Vegetable, preventeth the extraction of its Tincture or Vertue: Therefore the drying of Hops, Wormwood, Broom, &c. is not only done for the preserving them,

t

n

0

lal

ne

ut

ne

is

D 3

but

but for that the Liquors wherein they are infused, do the better extract their Vertue; As those that have insused the same in their Beer can witness. So Malt, whilst it is green, will not make Ale or Beer of that strength, as it will do when dried; And if it be but easily dried, the Ale will be paler than if it be throughly dried; and in case it be hard dried, or over dried, the deeper will the Tincture of the Ale be: But such over drying usually wasts the Spirits of the Malt, which are now loose, and by this Art made Volatile.

Fermentation of Meal.

Corn for Bread by Yest, Leaven or the like addition, openeth its Body and relaxeth the Viscosity that detaineth its Spirit, which is the cause that the Bread of such a fermented Mass is light, grateful to the Palate, easie of digestion, and wholesome; and if not so fermented, it becomes in every point the contrary.

The cause of roaps and windy Prink. Hence it is that Ale or Beer made of Malt not throughly malted, or of such, that part thereof is well malted, and part not, becomes Roapy, by having not

its

its Viscosity wholly taken away in the first operation, or made by adding Oaten Malt, or Oates mixed with other Malt, whereof is that Drink made which they call Oat-Ale; All which is unwholesome, causing Obstructions and great Windiness in the narrow passages of the Blood in Humane Bodies.

The like doth Bread or any other matter made of Wheat unfermented, or that hath undergone some degree of Germination before it hath been at the Mill. whereby a due fermentation is impeded. The reason of this my present discourse on Malt, or fermentation of Corn or Grain, is not only to forewarn all good Husbandmen that they be cautious in eating or drinking any thing made of unfermented Corn or Grain, unless it be otherwise prepared, by due coction, or good additions, according to the Culinary Art. But also to excite such that have Art, Skill and opportunity to make use of this Art of fermentation on several other Grains, Seeds, &c. for the extracting their spirits or better parts; ever varying the method of fermentation according to the nature of the Grain or Seed to be fermented; for some Seeds require

require much longer time to be imbibed, than doth Barley, ere their Viscous matter be relaxed, and so nevertheless retain their Spirits even to Vegetation; as the Seeds of several Vegetables that have undergone all the operations that Barley hath done in Malting, yet will germinate and encrease when sown, as if they had never been so ordered; the like will some Grains of Barley that have not been fully ripened; and all Barley doth require more or less time and skill to malt, it according to the different Seasons: All which deserve the enquiries into, and confiderations of the Ingeni-OUS.

Note that the viscous matter that preserves the Vegetable Spirit in all Seeds, being relaxed by Fermentation, such Seed tumefy, and are thereby made more easie in parting with their Spirits. For Barley when it is malted, occupieth more room than it did before, although it be diminished in its weight by the loss of its dust, (the Come:) And Meal when it is fermented for Bread, encreaseth in Bulk; but without addition or diminution of its weight: So that fermentation is no other than a relaxation of those Bonds that preserve the vegetating Seed for production, and that prohibit the expence or wast of its Spirits till those Bonds are relaxed or broken.

I have this to add to what hath been of Hemp already treated on concerning these subjects. To wit, That the Seeds of Hemp Benefit of being so desirable by Birds, and seeing Hemp-sted. that Pigeons in the Hemp-Countries about Lincolnshire, &c. are so large and fat. It may probably be a considerable addition to the Improvement of Lands by fowing of Hemp, to convert the use of its Seed to the feeding of Poultry, and other Fowl; for it is a great Crop of Seed that an Acre of Hemp will yield, besides the benefit of the Stalks.

And in case such Seeds should give the Flesh of Fowl fatted therewith, some ill Tast, as hath been reported, yet that would be foon altered by feeding the Fowl 2 or 3 days before they are killed with other Grain; for such a Tast or savour contracted by the Food, is foon altered and made connatural by the heat of fuch quick digesters. ,

But the great Improvements that are to be made of Hemp and Flax, are by

converting

converting the same into Linnen, Paper, or Cordage.

Of the making of Linnen.

The making of Linnen in this Kingdom would much encourage the fowing of Hemp and Flax, but there are several Objections raised against it. The one is, That our Hemp and Flax are more hard and stubborn than foreign. To which I answer that, it doth not appear to be so in many places; for in Derbyshire, where much is used and made into Cloath, it is much more foft and easie, than some forts of foreign Cloath. And if it were so that Hemp and Flax were hard, yet it is easily made fost, either by watering; for the long and often watering of it wasteth that gummy and glutinous matter that occasions the stiffness that is in it, aswel as it makes the the stalks or spills within it brittle and more eafily broken; Or, it may be made foft by beating: But that being a work requiring great Labour, That it is become a punishment inflicted on some sort of Malefactors, and by consequence many hands and great charge are required. I shall here propose a way, that in all probability may accelerate this Work, and

and very much contract the labour and pains about it; which is thus,

Let there be two upright Posts fixed The descrias a a a a. at a convenient height and the Engine thickness, and about 3 foot apart, more for dressing or less as you please; let there be 2 and Flax. folid Rolls of Beech, Elme, or rather fome harder Wood, of about 5 6 or 7 inches diameter, and as long as is the distance between the 2 Posts, as at b b. let these Rolls be toothed with 8, 10 or 12 Teeth, as you please, equidistant, that they may exactly shut the one in the other; as by the Ichnographic discription of the ends of them appears at c c. The lower Roll must run in fixed Sockets with a handle at one end thereof to turn the same as at d. but the upper Roll must run in 2 moveable Sockets made in 2 pieces of Wood that may fide up and down, as at e e. within the 2 upright Posts: Then let a Spring be made of Eugh, Ash, or other springing Wood, or of Steel or Iron well rempered, each end to rest on the siding theses, as at f f. which Spring may receive its preffure from a Skrew at g. By the force of which Spring the upper Roll may be depreffed

ption of

pressed on the lower so strongly, that Hemp or Flax may (by being drawn through between them) be far better and easier broken or mollified than by the ordinary Heckling. This Engine may be made with Handles at each end for 2 to turn; and then 4,5 or 6 may feed it, and take it away on the other fide to dispose of it in order: And the work may be often repeated as there is cause. And the Spring every time harder depress'd by the Screw; that as in the common way the Flax is heckled three times, and every time in a finer Heckle, so here it may be every time harder wrought through the tooth'd Rolls, and often working it through the Rolls, will make it exceeding fine. An Ingenious Workman will foon make this an useful and profitable Machine, although at first it may not feem to be so; for any thing that is new requires patience with some damage to make it perfect; as every Mechanic that undertakes a new piece of Work can tell: Therefore this requires a willing, as well as an Ingenious Workman to make it compleat.

Another Objection is, that our Linnen is not so white as foreign: Which is answered

answered as the former; That often watering of it will make it whiter, as every Whitster can tell: So that if Hemp or Flax be watered and beaten, it will become the more fubtile and white. It is observed that in the making of the finest Linnen beyond the Seas, several years are required for the preparing or reducing the Flax to fuch a fineness and whiteness; which here we despair of performing, unless we can accelerate the fame by the faid Engine; For if often washing of Linnen will make it white, and much beating and heckling it make it foft or fubtile; Its very probable, that by watering or washing, and often working it in this Engine, it may be made foft, fine and white.

For the difference between corse Linnen and fine, seems to be in the softness and fineness of the Hemp or Flax, (which is more easily spun into a small Thread) and the whiteness of it, to which whiteness it ought to be reduced before it be Spun or Woven, else it will be very difficultly whitened after, without prejudice to the Cloath if very fine: For we may observe that ordinary Linnen by often wearing, washing and hanging abroad in

the Air, becomes fost and white, but with prejudice to the Cloath, because it cannot undergo those several hardships with-

out a sensible loss or decay.

It is observed that frequent washing and wearing of Linnen makes it the whiter and finer, and that in the washing, Ashes of Wood, or other Vegetables are used, either in the Soap, or the Lixivium or Lye, wherein such Linnen is washed, which very much conduces to its foftning and whitening, which is the true meaning of what Paracelsus affirms in the 7th Book of the Nature of things. That of Flax boiled in Sharp Lye, made of the Ashes of Wood, is Silk made; That is to fay, It is reduced to the fineness of Silk, and equal to it in price; for there is fine Linnen equal in value, weight for weight to Silk. It is the Alcali of Vegetables, or the Salts of their Ashes that are of fuch efficacy in this Work, for the Waters which the Whitsters use, are impregnated with the like matter, but in fo small a measure, that they operate but flowly: But in the elevation of Ashes, those of the Ash, Beech, or other white Woods are to be preferr'd, because some may probably cast a yellowish colour, difadvantagious to Linnen. The

'Alcali.

The principal advantage to the Kingdom that the making of Linnen here would be, is the prevention of the importing of foreign Linnen, some part whereof is already accomplished by our using so little in the burying of our dead; and in the more general wearing of Flannel Shirts, &c. in Read of Linnen, being (by far) more pleasant, healthy and cheap, as many of our Nobility, Gentry and Commons, can by many years experience testifie. It is also another great advantage that would redound to the Husbandman in the improvement of his Lands, by fowing Hemp and Flax, and very necessary in the imployment of many People, in case there be any place where imployment is wanting.

The want of People, I know, is the main impediment to this great design of making our own Linnen; for in Derby-sbire the common People are imployed in the Summer-time in washing Lead-oar, and in the Winter, when the other Imployment fails, they fall to Spinning, Weaving, &c. which makes our homemade Linnen so plentiful in those parts: Therefore all ways should be promoted that shorten the work, and lessen the

pains in dreffing and fitting the Hemp and Flax fit for the Spinner; And if any way there be more nimbly to spin the Thread, and then to weave it with more expedition, the same should be discovered and encouraged. There have been Looms or Engines made to weave several Ribbons at once, that is, by the same labour, and in the same time as they usually weave one; and such Engines have been broken by fuch that had no farther prospect than private interest, which makes the Relation of the Dantzick Invention more credible; It was, as is faid, a rare Invention for Weaving of 4 or 5 Webs at a time, without any humane help: It was an Automaton or Engine that moved of it felf, and would work night and day; (being as is to be supposed, kept in motion by Weights or Water.) It was suprest, because it would prejudice the poor People of the Town: And the Artificer made away fecretly (as was conceived) as Lancellotti the Italian Abbat relates out of the mouth of Mr. Muller a Polonian, that he had feen the device.

Another use of Hemp and Flax, is for of the may the making of Paper. The first Material Paper. that was used to write on, as we read of, was Stone, on which the Law was written. The Sybils Books were faid to be written on Leaves of Trees; fometimes the Rinds of Trees ferved for that use: And for many Ages was no other Paper used, than what was made of Reeds, which grew on the Banks of feveral Rivers, and plentifully on the Banks of the Nile.

But the modern Invention of Paper made of Linnen, surpasseth all in this kind, being so close compacted, so white and durable, that it may be reckoned among the fingularities of Art; And it is a vast quantity thereof that is daily used in this Kingdom, in Printing, Writing, Oc. That could it be made here, it would be of great advantage to the Nation, and in particular to the Husbandman. There are two objections or difficulties that lie in the way; The one is, That there is not old Linnen enough in England to be eafily had for that purpose; for Paper hath hitherto derived its pedigree from the Dunghil; and old Linnen

nen must come cheap to the Paper-mill, and Linnen being in England a dearer Commodity than Woollen, and the Country colder, Linnen is not so much worn, as in warmer places; and so not so many Rags or refuse Linnen to be gathered for the Paper-mills: To remove which there should be encouragement given to some small Agents in Towns, to gather up and buy all refuse sine Linnen that can be had; As now in many places there is for corse Linnen, and ends of Ropes, &c. for the making of Brown-paper.

And in case that design take of reducing Flax to a certain degree of Whiteness and sineness, by the before mentioned Machine; there will be much Tow or resuse Flax, that may by the Papermill Hammers be reduced to the same consistence, as hard seamy Rags of Lin-

nen-Cloath usually are.

The second Objection is, That our Waters in England make not so white Paper as some foreign Waters do. For it is observed, that in France the whitest Paper is made but at some certain place, where the Water is more fit for it than elsewhere. In answer to which, There

are

are feveral Springs and Streams in this Kingdom that proceed from Chalk or rocky Mountains, that in the distilling leave a fine white residence in the bottom, that may be as fit for this purpole as any foreign Water whatfoever. Therefore Waters may be tryed in several places before the main work is begun. But this old Objection of want of good Water, is now become invalid: For fince the French Mechanics have come over into England, they have proved the Water here to be equally as good as in France.

If Lands may be rented, and provi- of the mafions for the Workmen may be had cordage. cheaper here than in other Countries; Then surely may Hemp be propagated, and Cordage made at easier rates, here than abroad; which being done, more might be exported, and less imported, to the great encouragement of Agriculture and Mechanic Arts. But an Objection here is also raised by the Ropers, viz. That our Hemp is harder than foreign, and doth not work fo fine, nor take Pitch so well, Quere, whether much wa-

tering may not abate its Viscosity, and make it more pliable.

## CHAP. V.

Of the Manuring, Dunging and Soiling of Lands.

Denshiring of Land.

T is now become a general Improve-ment of Champion or Green-sward Land, to Denshire or Burn-beat it; By which means very plentiful Crops of Corn are raised on poor and barren Lands. But the method now used by cutting or paring off the Turf with a Breast-Plow, is very laborious, tedious and costly, and sometimes very hazardous; By reason that in a dripping Summer, this Work is much impeded, the Owner frustrated of his expectation of a great improvement; for that a great part of the Turf is not throughly burnt, and so becomes useless, and the Workman much damnified, being at a great trouble in often turning his Turfs before he

he can apply his Fire; and then at the charge of Furze, or the like Ollet, to burn the Turf withal; And the usual expence in Dembiring an Acre in a dry Summer, when at best, is twenty Shillings, or more 3 which in a bad year the advantage made by this Husbandry will not repay, although in a good year it will double it.

To make Denshiring therefore more A Denshireasie and cheap: It is not difficult to ing Plough make an Instrument to pare off the Turf as thin or thick as you please; That in stead of being forced forwards by more than ordinary humane strength, it may be drawn by one or more Horses, but not without the skil or labour of a good Workman to guide it: It must have two Wheels or Trundles; If they are low, then may your paring Plough rest on the Axis; but if larger Wheels be found to be most proper, then may the paring Plough be fixed at some distance under the Axis; and either way it must have a long Stail or Handle, by which the Workman by elevating or depressing thereof, may cause the Turves to be pared thinner or thicker as he pleases, and as the

E 3

unevenness of the ground requires, so may he thereby regulate the Work. And thus with one Horse and two Men, may two Acres at least be pared in a day, in case the ground be even or smooth; but if uneven, or sull of Stumps or Hills, then it requires reiterated operations; yet may two such Men and one Horse, pare an Acre in a day; and the Work every whit as well done, as by the tedious Breast-Plough.

Thus may an Acre be denshired for a fourth part of the expence, and in less than a fourth part of the time, than by the other way. And although there may be but little dry Weather together, yet may you do a great deal whilst it

lasts.

There can be no exception made against such an Instrument, nor difficulty arise in the use of it: But an ingenious and willing Artist, may by altering and amending it, as he finds the Error, answer it, and make it practicable: For there is nothing that is newly invented, but may and usually doth meet with rubs, and sometimes not a few in the way, before the Artist brings it to perfection; But this is an Instrument so feasible and bene-

beneficial, that I cannot but encourage fuch that have Lands capable of this way of Improvement, to fpend fome time and skill in perfecting it: The want of fuch Lands of my own, preventing me from doing it.

You may also apply to this use, the new Plough hereafter described in the eleventh Chapter.

and where I despert took distributed the

With able Pens, to Commender of the feeder of one of the principal maneral improvements that combe made: Yes have for a presended the deferribed the doos wow himous oned were in some advectors the Leader of Sirch places; by reason outside water of Timber, Wood, con the best wife the said for sevel. wors discolarily inerviluee imployment for a confidence of feel materials as a The for the thefe defects that are never that brust he use defiliation of that and the or and they bloom well as, that and

et and a pormention foveral Med and a a less to the benefit or adver tates of cavagi doids a cloder out to the

and the remain charter his en

E 4 CHAP,

## CHAP. VI.

heneficial, that I cannot but encourage

the Mountagef Lands

Of the Benefit of Raifing, Planting and Propagating of Woods.

eleventh Chapters

Preserving of woods, good Huf-bandry.

A Uch hath been written by divers able Pens, in Commendation of Woods, as one of the principal general Improvements that can be made; Yet have some pretended that destruction of Woods in any place, would very much advantage the Trade of fuch places; by reason that the want of Timber, Wood, &c. for Mechanic Uses, and for Fewel, would necessarily introduce Imployment for many, in bringing all fuch materials, as must supply these defects that are occasioned by the destruction of Woods, which may be true; as well as, that the Burning of any City, Town or House, begetteth imployment for feveral Mechanics. But what is this to the benefit or advantage of the whole, which is ever to be weighed and confidered of, in the promoting of any Improvement, Trade or Im-

Imployment? For in case the Timber and Wood, that now ferveth any City or Town, with Materials for Building; and for all forts of Mechanics that Work in Wood; as Joyners, Turners, Wheelwrights, &c. and all poor and rich for Fewel, should be so devasted, that the Inhabitants of fuch places, should be constrained at an extraodinary expence to furnish themselves from abroad, with the like necessaries; although the Carriers of fuch may in all probability gain very much thereby; yet every Tradef-man must pay the more for what he hath occasion for; And by the same Rule must raise the prices of his Commodity, that is made of it; and in time must remove himself to such places where he may exercise his Trade at a cheaper rate.

To descend to particular Examples of places: The Greatness of the Famous City of London, may partly be imputed to the plenty and cheapness of Timber and Fewel; without which in all probability it could never have encreased to that Magnitude. Nor had the Cities of York, Bristol, and many others grown so great, but from the same cause. And many

many Towns standing in the more Champion parts of the Kingdom, shew to every Traveller, that they are miserable in respect of their Buildings, Trades, and Fewel. All which is fum'd up in a few words, by the Pen of the most accomplish'd Writer on this Subject, in his discourse of Forest Trees: Since it is certain and demonstrable, ( faith he , ) That all Arts and Artisans what soever, must fail and cease, if there were no Timher and Wood in a Nation; ( for be that shall take his Pen, and begin to set down what Art, Mistery, or Trade, belonging any way to humane Life, could be maintain'd and exercis'd without Wood, will quickly find that I speak no Paradox, ) I say, when this shall be well considered, it will appear, that we had better be without Gold, than without Timber, Chap. 31.

It is not the defect of any Commodity that makes a Trade, nor the dearness of Provision; but the natural situation of the Place, the industry of the Inhabitants, and the plenty of Materials and Provisions: For it is the plenty of Provisions, and other Materials, with the industry of the Inhabitants, and situation of the places, that contracted so

mann

great

great a Trade to Barbadoes, Jamaica; &c. and with that, great plenty of Mony; So that to say, Its better to live where your Dinner must cost a Dollar; than where you may Dine for a Groat; is no argument that Provisions are more scarce and dear, where your Dinner must cost a Dollar, than where it may cost but a Groat; but that there is more plenty of Mony: For in the most fertile Provinces or Places of Europe, is the greatest plenty of Gold and Silver, which have been extracted out of the most sterile Regions of the Earth. And by that plenty, are the rates and prizes of Commodities and Provisions esteem'd: As the rates and prizes in like manner have been in different Ages in this very Kingdom. For faith Stow, Anno 1288. A Quarter of Wheat was fold in London, where it was dearest, for 3 s. 4 d. in other places at 20 d. 16 d. 12 d. and in the West and North at 8 d.the Quarter; when in our Age, ten times that price, is too cheap to maintain the Husbandman. The rates of Lands, prizes of Cattel, &c. were much after the same rate and proportion: Not that there is now a greater scarcity of every thing, or a greater number 11.03

ber of People. But the Subterranean Stores, have by the indefatigable Induftry of Man been opened, and their Treasures distipated. And such places that have been most fertile, and abounding with Woods, and other necessaries for Trade; well fituated, and industrioutly cultivated, have by the interchanging of their Commodities, Provisions, and Manufactures, drawn to them the Wealth of the Indies, and other foreign Nations: And by their encreasing, and maintaining their Plantations of Timber, Woods, Corn, Fruits, and all other Tillage; and encreasing their Fleece-bearing Flocks, and other Cattel; do uphold and encourage the same Trade. But should they either neglect such political and excellent Husbandry; or instead thereof, destroy what Nature spontaneoully produceth; instead of contracting Wealth from abroad, they may wast their Treasures in buying one of another, till they have nothing left to buy nor sell. Like unto the Ten Alehouse-keepers, (that when their Trade was low) agreed to meet at one of their Houses one day, and at another of their Houses the next; and so round to maintain

tain a Trade amongst themselves, which they did till they found their Drink all drank out, and neither of them a peny the richer.

On the contrary; There are many cutting of Persons in this Kingdom, that suffer their due stason Woods to grow too long, which is nei- good Hafther profitable to themselves, nor for the publick good. For when Timber or other Wood is at its full growth; it either stands at a stay, or sensibly decays, and fome years before it hath done growing, it improves scarce one per Cent'. Such Persons being possessed of an opinion, that it is ill Husbandry to cut down their Woods, (as too many have done) and confidered not, that the Monies raised by such Woodfalls would bring in a greater advantage to them, than the flow growth of ancient Woods can be expected to do, in case they are not yet at their full growth; and if they are, then they evidently lose by their standing. And the felling of fuch well grown Woods, is also very advantagious to the publick: For it furnisheth the Markets with necessaries, which otherwise must be supplied from foreign

foreign Parts; for the less of the growths of foreign Countries we import, for our exported Goods or Monies, the more of our Monies we fave, or elfe have the more of their Coin or Bullion. due felling of Woods doth likewise produce an encrease of the same Species; witness the constant felling of Woods in Berk-shire, for the supply of many Mechanic Tradesmen in London, with matter to work on; and a great part of the City with Fewel: And the like in Suffex, for the supply of the Ironworks there. The gain arifing from thence, encourageth the Owners of those Woods to propagate and preserve them; For in case any person hath (as I know fome that have ) an hundred Acres of Wood well grown, and shall every year fell five Acres of that Wood, until the whole be felled; always preserving the fame after felling; by that time the whole is felled, the first five Acres will be very well grown again; and the Owner in the mean time hath a constant Revenue out of such Woods, and the Markets the better furnished. A notable Example of this Husbandry, hath the most Worthy Mr. Evelin in his Discourse

Discourse of Forest Trees, given of the Lord Scudamore, his having in less than thirty years after the felling of a decayed Wood, neer a 1000 l. worth of Wood grown on the same Land, not of above the value of 8 L 10 s. per Annum. Chap. 34. So that the ill Husbandry is not in felling of Woods well grown, but in the not nourishing the growing Woods in the room of them. The same may be said in felling of fingle Trees in Hedgerowes. If fuch Feller did but propagate three for every one he fells, as in Bifcay by the Law they are obliged to do. None need condemn such for ill Husbands, nor ever dread a scarcity of this Material.

In many parts of the World, the An easte way to e-Woods are a great incumbrance, and radicate hinder the tilling or improving their great Trees. Lands. And in our foreign Plantations on the Western Continent, one of the greatest Expences they are at, is the cleanfing their Lands from those cumberfome Woods that annoy them there; because they have but few Hands, and the Labour is great to extirpate them. And as I am informed, there is a Person that hath discovered a more casie way, than hath

hath been formerly made use of, for the eradication of great Trees; And hath obtain'd his Majesties Letters, Patent, for the fole use of the said newly discovered Art, in some foreign Plantation. And will (as is faid) undertake to cleanse those woody Grounds, at the rate of 6 d. per Tree, which is very reafonable in those Countries. The manner of that operation I cannot learn: But this I offer as a very feafible way to do the fame thing; although perhaps it be not after the same method, which is only thus: Prepare two large Iron Hooks, with Loops to them; To each of these Hooks, fasten at the Loop a strong, double or treble Block for a Pulley; affix one of these Hooks to the Tree you intend to eradicate: Then go to the next, or some other Tree at a convenient distance, and affix the other Hook therto; and with a Cord duly applyed to these Pullies, may one, two or three Persons (as strength is required) so forcibly draw these two Trees together, that a small help at the Root of the Tree design'd for a fall, will soon extirpate it. The higher the Hooks are fastned to the Trees, the casier will those Trees

Trees bend to each other: If the Tree to be eradicated, be larger than that you make use of to affist the work; then place the Hook higher on that Tree, and the lower on the other. If the Trees be large you intend to fell, then let your Pullies be with three, sour or more Rundles, and you need not question but to master the greatest Trees in the Woods, without any hard labour, or long time spent in doing it: And when they are down in such places where their Wood is not valuable, their Ashes may; for a good Fire will soon rid them out of the way.

nature of Objerva into mache he added to the entry of the entry has a last officient with a chiefe two from a last officient with a cardinate of mature Evitames and came into the control of the control

F CHAP.

CHAP.

## CHAR VII & VIII.

Of Fruit Trees, and Garden Tillage.

Aving wrote a particular Treatife of each of these Subjects, viz. Vinetum Britannicum, and Systema Horticultura, since the publication of the first Part of this Work; what novel Experiments or Observations might be added to these two Chapters, shall be taken notice of in my second Part of these two Treatises, that entituled Vinetum Britannicum being hereunto subjoyn'd, to which you are referred.

## CHAP. IX.

advant rejons (elektrich hand)

Of Several Sorts of Beasts, Fowls and Insects, kept for the advantage and use of the Husbandadd. That, as the variance is the deli-

A / Ithout Horses, the Husbandry of Horses. of England would be of little Worth, the most laborious parts thereof, being by them perform'd'; No other Beaft being to fit as thele for the Plough, Cart, Travender-Waggons, Packfaddle, or grinding in the Mill; Therefore every good Husband ought to be very careful of his Horses, to keep them Sound, and in good Hearr; for on them depends much of his Prosperity.

And the great use that hath been made of the more generous and luxuriant of these Beasts, for the Saddle, Coach, Chariot, Raceing, and especially for War (for all which Uses no other Beaft is comparable to the Horse) hath

been

been very advantagious to the Husbandman, especially to such that have Lands proper, and take delight in propagating the best kinds; There being no greater profit to be made of pasturing Lands, than by breeding of good Horses.

Of cowes.

As to the uses of Milk, Butter and Cheese, they are such, and so well known, that nothing can be more. I have only this to add, That as the various Soils, and the Herbage growing thereon, produce great variety of Butter and Cheese; although the Cowes and the Housewifry too be the same: Yet it is most evident, that tradition and opinion have so far fwayed with most Country-People, that here is the best Butter, and worst Cheese; and there the best Cheese, and worst Butter to be made; that therefore they will not be perswaded in the least, to alter their vulgar Method of making the one or the other; although of late years, some ingenious Huswiveshave inverted that Courfe, and made as good Cheefe (where formerly the worst only was made,) as hath been usually made in such places, that have been celebrated for good Cheefe. The like hath been observ'd in making Butter: For

of the fame Milk produced in any one fort of Lands, are different forts of Butter or Cheese usually made, meerly by the different method of the Housewifry; as every one may observe, if they please. And although I pretend not to trouble the Reader, with the Art of making Butter and Cheefe; nor to have any other infight therein, than bare speculation and hearfay; Yet I may from hence averre, that the Covetousness in some, and Ignorance in others, is a great occasion that bad Butter and Cheefe are made of the fame Milk; of which by good handling, very good may be had; for there is the fame Philosophy in these transmutations, as is in the fermentations of Beer and Bread: And all Men are sensible of the differences of the strengths and tasts of those things, meerly from the Mechanic operations.

F,

lt

er. t

ir

e-e,

ly

n re

ce

or

of

For as I have heard, some out of a romate greediness to have a great quantity of the best Butter, take off too much Milk with chafe. their Cream, which makes a poor hungry Butter, and a barren Cheese of the remainder; others of a better reputation take only the top Cream, with which

they make their best Butter, and with the remaining Milk they make the better Cheese. All that is to be wish'd, is that the good Housewives understood more of this fort of Philosophy, and less wedded to Tradition and Humour; Then I am confident these Commodities would be very much improved. I will only here add a Receipt which I found in the Annotations on Mr. Samuel Hartlibs Legacy of Husbandry, how to make better Butter than ordinary, without fetting the Milk for Cream, viz. The Milk So Soon as it is come from the Com, must be strained, then Churn'd, as usually Cream is done. Also the Cheese made of the Butter-Milk, will be better than the best two-meal Cheeses that ever you did eat; And one pound of this Butter, shall be worth a pound and a half of your best Butter, which is made of Cream; probatum by a Gentlewoman, a great Housewife dwelling in the Iste of Ely; which if it prove on trial what it promises, may be of great advantage. Its probable the great labour which will be required in fo great an Agitation, hath deterr'd the always builie Housewife from prosecuting the Experiment; but the rolling or tumbling Churn,

Churn, I suppose may effect it with much less labour than the upright.

It is usual for Housewives to fet their Anew fort Milk to cream in broad earthen Pans, of Milk or wooden Treys, which take up much room, and are troublesome in many respects; the design being to set their Milk as shallow as they can; it yielding the more Cream, or the fooner, which is better. Therefore fince the Art of making Lead into thin Lamins, Plates or Sheets, hath been discovered; I have feen broad and shallow Cases of Board. made and lined in the infide with this Lead, with a Tap-hole at the one Corner of each, and a Plug of Wood fitted to it. These Cases were about two Foot in breadth and length, and were placed the one by the other on a Bench; the Tap-hole hanging over, that the Milk after the Cream be scum'd off, may be let out thereat into a Pail, or else the Milk may be thereby drain'd greatly from the Cream; and then the Cream received by it felf, as the Housewife pleases. These Pans may be made greater or lesser as the Dairy requires, and may be scalded as they stand with-

out removing them; the Hole a little declining to the Tap-hole. These Pans very much resemble the Brewers Coolers, wherein they cool their Worts: Thus may improvements be made even in the ordinary Arts of Housewifry, Cookery, &c.

of fathing of Cattel.

It hath been found by long experience, that the sweetest Food, fatneth Cattel foonest. Therefore the Pastures that lie most open to the Sun, are more defirable by all forts of Cattel, than the shady, the one being sweet, and the other fower. And Clover, Trefoil, &c. more than common Grass, from the fame cause. And all forts of Cattel become Fat sooner on these sweeter Pastures. than on the more fower. Oates, the sweetest of all Grain, are more desirable by the Horse, than any other, and fatneth him fooner. Barley made sweet by malting, then ground and mixed with Milk, fatneth Fowl, especially Geese fooner than any unfermented Grain. Milk by reason of its innate sweetness, nourisheth and fatneth more than any simple thing whatsoever.

It is observable, that the less Milk any Beast gives, the sweeter it is: Therefore Asses Milk is preserrable to Cowes Milk, and the Red Cowes Milk to the Black: Mares, Emes, Sowes, &c. give less Milk than Cowes; yet their Colts, Lambs, Pigs, &c. grow faster or fatter in proportion than Calves, and none of them will thrive fo well with Cowes Milk, as with their own, by reason that Cowes give so great a quantity, and their Food only Grass and Water; it cannot be supposed that their Milk should be so Rich, as the Milk of those that give less, or feed higher: Therefore fome that have nurfed up young Pigs with Cowes Milk, have added Sugar to it; by which means, fuch Pigs have grown much in a little time, and very Fat withal, very much to the advantage of their Feeders; and their Flesh hath been extraodinary white and delicate, much more than if they had fed on Cowes Milk alone; neither would they have thrived fo well, in case they had fuckt their own Dam: Seeing then, that the sweetest Foods conduce most to the nourishment and fatning of Cattel, especially Swine; in the fatning of which

is the greatest advantage to the Husbandman; fuch Foods are to be provided at the easiest Rates: Amongst which, Turnips are the best, which as they come raw from the Ground, may not answer the delign: But in case they are boiled, and afterwards pressed, they yield, a fweet and pleasant Juice or Liquor: Turnips (its known) may be raised in great quantities, at very easie Rates; and in a Furnace or large Kettle, many of them may be boiled together; these may be ground in the Roll-Cider-Mill, described in my Vinetum Britannicum, and there pressed (as Apples usually are for making of Cider: ) In this exprefsed Juice, may you add ground Malt, Barley, Oates, or the like; the sweetness of this Liquor, with those nourishing Grains in it, may without doubt fatten any Cattel, especially Swine, sooner and cheaper than their feeding on hard Corn can do, especially in such Years that Grain proves dear. If you boil your Turnips often in the same Liquor, that Liquor also will become sweet.

For it is the liquid parts of any Roots that nourish; the Murc or refuse when the Juice is pressed out, addeth little to

the

the nourishment of any Creature. And this expressed Juice here becomes a Vehicle for the Meal that you mix with it, to digest and distribute it, according to the Law of Nature.

It may be objected, that Fat so suddenly raised, is not so firm as that which is caused from the Cattel, their feeding on harder Meat, which may be true: Yet if I can by this means raise my Cattel or Swine to a good degree of Fatness. I can for some reasonable time after feed them with hard Meat, till their Fat is better digested, and made more firm.

termines about the Sammer Salling or foor acter. For the Sammer Salling or to the Sammer Salling or to the Sammer inclines the same ro Showers. Summer inclines the same ro Showers. Section amountly to a lateration of the Sammally to a lateration of the Sam on the Morthern Coale of Africa, where the Morthern to follow the Sam time very foreign and fed the most Northern Degree of the Equino State Northern Degree of the Equino State, but Salverer it has put.

gives a Teitimony of the fame? So in

#### CHAP. X.

Of common and known external Injuries, Enemies and Diseases incident to, and usually afflicting the Husbandman; and their Preventions and Remedies.

Reat Drought attended with I Heat in the Spring, usually determines about the Summer Solftice, or soon after: For the advance of the Sun to the Tropic of Cancer, in a very hot Summer inclines the Air to Showers, something like the alteration of the Season, annually begotten by the access of the Sun on the Northern Coast of Africa; where the Rains so sollow the Sun, that very soon after it hath passed the most Northern Degree of the Equinoctial-Line, the Egyptian Nilus gives a Testimony of the same: So in this our oblique part of the Sphere;

if the Spring be Hot and Dry, the Summer usually proves Wet, as it did in 1681. when we had the driest Spring that had happened within Memory; and soon after the Suns entrance into Cancer, great Rains followed.

In the like case, which sometimes preventidoth happen, where the Husbandman on of scarforesees a defect of Pasture or Fodder for forestees a defect of Pasture or Fodder by
for the succeeding Winter, by reason of Drought.

the Heat and Drought of the Spring,
or early part of Summer; He may sow
a proportionable part of his Farm with
Turnips, which may be sown in the
greatest Drought, and in the next Rain
they will grow; and a showry Autumn
(of which he need not despair) will
make his Turnips so flourish, that an
Aere of them in the succeeding Winter,
will stand him in more stead than several Acres of his Meadow Lands.

The Seeds of Turnips are very fliuch to prevent defined by small Brids, which not only Tarnipfeeds from prey upon them when ripe on the Stalk, being debut when fown on the Ground, and froyed by 
especially when they first begin to aspire, or ber Vers
they draw the swoin Seeds out of the min.

G a Ground

Ground by the tender Shoots, and for destroy many, yet leave behind them enough to stock your Field. But that which proves the greatest destruction to your Turnip-feed, are the multitudes of Flies that usually at that Season of the Year by the Suns influence are generated among the Stubble, that remained in the Fields where you now fow your Seeds: For it is observed, that an easie ploughing and fudden fowing of these Seeds, makes them more apt to be thus destroyed, can a well dressing, and more leafurely fowing, for this deprives those Vermin of their shelter and sustenance, that they generally die before the Seeds are come up: However to prevent the worst, take Soot, especially out of Chimnies where Wood is burnt, and steep it in Water; and when the Water is well tinged with the Soot, throughly moisten your Seeds therewith; then spread them abroad on a Table or Floor, and when they are a little dry again, then fow them, and the bit-terness they have attracted from the Soot, is faid to be a fecurity against Birds, Flies and Infects.

n

t

of

e

d

r

e

d

S

-

e o y

t,

e

e

e

C

Choice Seed well limed and fown To prevent on good Land, that was not fown wheat. with the same Grain the precedent Year, rarely produces fmutty Corn: For fmuttiness is a degeneration of the Wheat; caused either by sowing the same Land often with the same Species, or else with Seed that hath been taken from the adjacent Land, of the same nature with that on which it is fown; or else by fowing it on very poor Land, where the bulk of the Straw and Corn is raised, either by the force of Dung, or a drippy Summer, rather than from the natural strength of the Land. Therefore if your Land be fit for Wheat once in 2 or 3 years, buy your Seed from another Soil, and fee that your change be proper, which the experience of your Neighbours can best inform you: For although you fetch it a great way, yet the large product will easily defray that expence: And let not your Land be fown often with the fame Grain. Then before you lime your Wheat, put it into a large Vessel, fill it with Wheat about half full; then add so much Water as will quite fill G 3

fill the Vessel; then stir it well, and scum off all the light Corn, and so keep it stirring to the bottom of the Vessel, till no more of the Wheat will swim, and them lime it: Thus do to all your Wheat that you sow, and you will not have a smut-producing Seed left; for the light impersect Corn, it is that produces the smut.

To mow or reek wheat to prevent Mice.

Great care is used in many places to build Reek-stavals, on which they Reek their Wheat to prevent the Mice, which otherwise would devour it: By which Vermin, Mows of Wheat in Barns are very subject to be devour'd: Therefore to prevent Mice from feeding on Wheat-Mows in Barns, after you have lain your Course of Straw to bed the Flower withal, strew fand round on the edges of the Bedding; then lay a Course of Sheaves, and on the ends of the Sheaves, at the outfide of the Mow, strew more fand, and so on every Course of Sheaves round the Mow to the very upmost Course; by which means it will be preferved from the Mice: For when they endeavour to make their way into the Mow, the and (which will foon be

very

very dry) will fall into their Ears, and so torment them, that they will never attempt to come there again: This hath been many years used by an able Husbandman, with the defired fuccess, and without the least inconvenience or damage to his Wheat, for the fand will never mix with it.

Hoel

Snakes, Adders, Blind-Worms, &c. To dellroy many times are hurtful to Men and Stakes, Beafts: To destroy which in such places &c. where they usually haunt; lay a Bed of new Horse-Dung about April or May, and in July and August following, cast your Dung in a Morning to one fide, till it be all removed, and you will find their Eggs, and it may be many of the old ones which you may destroy; this may be done twice or thrice in a Summer. Thus have I for feveral years, destroy'd many in my small Vill; for the warm Dung, attracts them from the feveral parts of your Ground to lay their Eggs therein, as stinking Flesh doth the Fly, whereas in a Trap you may take them; if your Ground be large, you may place several of these Dung-heaps.

To prevent and cure the Rot in Sheep.

Sheep being Beasts that delight in dry Meats, and thrive best on the dryest Lands, Mountains or Hills, and can live throughout the Year without Drink, (except in great Droughts) are subject to the Rot in very wet Years, or in moist Pastures: This Disease being caused by cold and moift Food, filling their Bodies with a superfluous moisture, and decaying their Livers, foon destroys them. The usual preventions therefore of this Disease, have been to feed them on the drieft Lands, to keep them late in the Fold in the Forenoons; feed them with Hay, and mixing Salt with it, or. But where these are not with conveniency to be made use of; it may be considered whether some forts of Vegetables may not be propagated as proper Remedies, as well to cure, as prevent this Disease, as some have been to cause it. Amongst which preventing or curing Vegetables, none feems more efficacious than Parfley, a Plant eafily propagated, and hath all the qualifications of fuch a Medicine or Remedy: Of its Propagation and Virtue, see more in the third Chap, of this fecond Part.

n

#### CHAP. XI.

STONE OF ASSESSED

Of Instruments, Tools and Engines, incident to this Profession of Agriculture.

He most principal Instrument used in Husbandry is the Plough, and as it is, so have ingenious Men contrived fo many ways to make them more useful, and les toilsome; that there is more variety of Ploughs in this Kingdom, than of any other Machine whatfoever. But that which I am now to add to my former Treatise of this subject, is, That there are divers new forts of Ploughs invented, and endeavoured to be brought into use, since my publishing the former Tract: As the Steel-Plough, a Model whereof was (not long steelfince) curioufly made by one Mr. Thomas Plough Llewellin

Lieurollin, at the George in Catteaten-Street in London; wherewith he pretended, that with one Man and two Horses, or one Man and two Oxen only, might be plowed any fort of Land whatfoever, as would not be performed by the common Ploughs, with less than double the Men and Cattel, which he offered as an infallible and unmatchable improvement. I have feen the Model, and it was well made; and without question such a Plough will far exceed the usual Ploughs, by reason that a well made, true and clean Instrument of any kind or fort whatfoever, will perform its Work for which it is intended, better than an ill shapen, false and rough can do. A Coach, Charriot, or Waggon, made high and true, will be drawn much offer than one that's gross, and ill made. The Cutting parts of the Plough, also being made of well temper'd Steel, and keen, abate a great part of the strength required in the Draught, as a sharp Ax or Saw, will more easily break a Tree, than one that's dull. I know it will be objected that Steel is much deerer than Iron: To which I answer. That in case a Plough coft 20 or 40 s. extraadinary in the Steel

Steel and Workmanship, it will soon be repayed, if I or 2 s. per diem can be faved (as no doubt but it will) in the use of it; besides the advantage of time, which is of more worth at some seasons, than all the extraordinary expence amounts to. As for the other more principal advantages of this Plough, with the description of the Plough it self, I refer you to the Author Mr. Llewellin.

There is another fort of Plough of the brought into use by some French Men, Ploughs, (as I take it ) which is very much like the double Plough described by Mr. Blith in his 33th Chapter of his Englands Improvement, which will carry two Furrows at once: As for the description, use, and advantages of this double Plough, I refer you to the Monthly Collections of Letters, of Husbandry and Trade, Collected and Published by that publique, spirited and ingenious Mr. John Hanghton, Fellow of the Roial Society, where it is at large described, with its nfes and advantages.

In light Grounds it is usual for fix or ption of a more labouring Men to follow the Plough

The deferi-Trenching Plough.

Plough at some distance; each taking some proportion with their Spades to cast up the Earth from the bottom of the Furrow, on that which was turned over by the Plough; so that an Acre of Ground may thus be Plough-trenched in a day, as well as if the same had had been wholly done by hand; the Plough going before, and turning in the Sward or Turf; and the Spades coming after and covering it with light Earth, makes it capable or sit for various sorts of Tillage to be planted in it: This way saves a great part of the charge of Trenching altogether by the Spade.

But an easier and cheaper way may yet be found to Plough-trench Land, without any help of the Spade; which is by making a Plough that shall undercut the Earth, and cast it over, instead of the usual way of plowing: For in the usual way, the Plough is made pointing, and is forced under the Sward, and by the spreading of the Plough, and help of the turning Board, the Earth is forced fromwards, which requireth much greater strength, than if the Plough were made of a proportionable breadth from the the point of the Share, to its hinder

part, and the Earth or Sward carryed from the bottom, and a turning Board cast fromward; and then you may add either a fecond Coulter and Share, to fucceed the former (fixt to the same Beam ) about four or five Inches lower, which fecond Coulter and Share will cut and take up another course in the bottom of the Trench, and carry it higher, and then the turning Board will throw it on the first Plowing; or else another Plough may be made to cast higher than the first to follow it: Each of these Ploughs may be drawn with half the strength of the common forcing Plough, because it cuts, raises, and casts over the Earth without any fide-forcing.

Soft I fill

This Plough may be made five, fix or feven Inches broad or more, according to the nature of the ground, and strength you intend to use, whether one, two or three Horses to draw it; and will not only serve to plough, and Plough-trench Land; but also to pare off the Turf of ancient Pasture Land, in order to the burning of it; for the Foot on which the fore-end of the Beam rests, may be made to stand higher or lower as you please; that it may cut thinner

or thicker, and being as broad, will do that work as well as the breast Plough, and with five-fold more expedition.

The Ingenious may foon make perfect this design, and bring it into use: I have made a Model which answers what I have proposed; and had I an assistant, should soon bring it to perfection: However these hints are sufficient to them, that truly understand the use of the Plough.

thengthad the optimism for cing Plants. Notable is seen indication of its over the

A. Phis I have a may be under five, after a laccord-

to it to desire a wollater

## FINIS.

off the For of antient Witter Land; drags to the burning of its for the Fo

on which the fore-end or the Beam felts, any be not be to fined by lower at your felts, at your first extends of the control o

Viento en columnia com

I be I relate.

# PREFACE

TO THE

## Second Part

OF

Vinetum Britannicum.

Aving formerly given you an account of most of the principal Things relating to the making of Cider, and other of our British Drinks in a plain

#### The Preface.

plain and short Method, that it might suit with the Capacities of those that are usually imployed in those Rural Exercises: There now remains some sew Observations and Experiments, which may serve as a supplement to that Treatise for a farther improvement of these Curious Liquors, (especially Cider) and may probably be a help to those that imploy themselves sometimes in endeavouring their Melioration.

Many have attempted to improve them, but for want of a right apprehension of their Natures, have been frustrated of their Expectations: And when they have been mistaken in the cause of the Defects in making these Liquors, instead of rectifying, have made them worse; That when they have sometimes

times made a Veffel of Good Cider, it may be rather imputed to chance than skill. So that the most Ingenious made many years Observations before they could rightly apprehend the natural and most regular Method of making it: For since the publishing of the farmer Part of the Treatife of this Subjest, the experience of several Tears, hath not only given me cause to correct several Mistakes in my former; but capacitated me to prescribe in the Second Part a New Method of making the best Cider that Apples are capable to yield; Besides many other very necessary Observations and Experiments relating to the feveral Matters before treated of.

In this Second Part I hope to remove such Remora's that have H 2 been

been laid in the way, by great Pretenders, whose authority in matters of this Nature, have wrought fo far on very many Ingenious (though credulous) Operators on this Subject; that after many trials they failing of their desired success, it hath caused them to despair of obtaining that certain way of making Good Cider, so seemingly plainly by them set forth; whose Aphorisms and Rules ( had they proved always true ) had doubtless raised this Liquor into a great deal higher Reputation, than now it is amongst the numerous Planters, which have been, and are very much increased by the confidence they have put in what they have read and heard, and the Encouragements they have received from those that have sometimes hit the Mark .

Mark: Wherefore to undeceive and gratifie the Curious, and such that are willing to promote so good a Work, as the Improvement of so great a part of our English Husbandry, and to better inform those that spend so much time, pains and expence in fruitless Experiments, and in compounding and corrupting, instead of meliorating ill made Cider; I shall herein discover the true Nature of this Liquor, and the right Method of making it cheap and easie to the Operator, delightful to the Eye, pleasant to the Palate, grateful to the Stomack, healthful to the Body, and durable to the advantage of the Good House-keeper, who may have of it in its purity and primitive Sweetness, not only throughout the Year, but for many Tears after it is made.

ı

9

e

e

2

e

H<sub>3</sub> The

The right understanding of which Method, may be an encouragement to the Gentry and Yeomanry of the Northern Parts of this Kingdom, who now value the Cider of Hereford-Shire to them carried at a costly Rate, above French Wines; That they may of their own Fruit make Cider equal to the best of Hereford-Shire, They may now try this Prescript with their lesser quantities, which proving right, will beget an emulation amongst the Good Husbands, who Shall have the fairest Plantations, and among ft the Good Housewives, who shall have the best Cider. I need say no more here, but refer you to what I shall write in the following Tract, where I Shall freely impart what I have observed, and not (as is too usual-

ly done) conceal that which most conduces to compleat the intended design, lest another should partake of the same advantage. If the Operator sinds not at sirst what he expects, He must impute his Error to his own Mistakes, and not condemn so regular a Method, nor Censure the Author,

Commendation while of our English

S

e

J. W.

H4 THE

### THE

# CONTENTS

#### CHAP. I.

F Drinks in General.	101
OF Drinks in General. Sap of Trees. Juices of Fruits and Berries. Of Roots.	ibid.
Juices of Fruits and Berries.	102
Of Roots.	ibid.

#### CHAP. II.

That the Juices of Fruits are the best of Drinks, and Universally Celebrated. 103 The Excellency of Wine. ibid.

#### CHAP. III.

That Cider and other Juices of our English-Fruits, are the best Drinks for this Country.

106
The

## The Contents.

The Antiquity of Cider.	ibid.
The Antiquity of Cider. The Excellency of Cider.	107

### CHAP. IV.

Of the best and most expeditions propagating the several sorts of	
Trees.	108
Change of Plants an Improvement.	ibid.
Brackish Land good for Fruit.	109
Lands newly recovered from the	
good for Fruit.	110
Their Remedy.	ibid.
Sweet Apples raised of Cions.	III
The Quince a Vinous Fruit.	112
Whortle-Berries yield Wine.	ibid.
Planting Trees on shallow Land.	ibid.
The most probable way to raise a Vinya	rd. 113
The most certain Cure for the Canker	
	115

### CHAP. V.

Of making Cider and other	Liquors of Ap-
ples and other Fruits.	120
Time for gathering Apples.	121
Laying them on Heaps.	122
Apples over-ripe or rotten	make no good
Cider.	123
Of the Cider-Mill.	124
GARS	Ordering

# The Contents.

Ordering the Pulp after Grinding.	125
Of the pressing of Cider.	126
A new fort of Press.	128
Ordering of Cider after it is pressed	129
The various Arts used in mending Cider.	130
Rules in making good Cider.	131
Ordering of Cider in the first Racking.	133
Ordering of Cider after it is Superfine.	136
To make Syphons or Cranes.	138
The use of the Syphon.	139
An Error Corrected.	142
Of Vessels for the keeping of Cider.	143
Earthen Vessels the best.	144
Divers Ciders out of the Same Apple.	146
Diversly coloured also.	148
An Error in making Currant Wine Corre	ted.
The same of the same of the same	ibid.
To make Apricock Wine.	149
To make Rasbery Wine.	151
Of making Chocolate.	ibid.
Of Coffee.	152
Of Tea.	154
Of the extract of Juniper Berries.	155
Of Mum.	ibid.
An Essay towards the Discovery of the	
ginal of Fountains.	160
Parent Al Tamoranon	200

### CHAP. I.

## Of Drinks in General.

N the first Part of this Treatise, I have given an account of fuch Subjects or 'Materials, out of which Drinks or Liquors are extracted or prepared: As of the Sap of feveral forts of Trees therein mentioned; and particularly of the Birch Tree, the Sap whereof hath been in great esteem, not only for its Pleasantness, but its singular medicinal Vertues. It hath been also observed, that the Sap of the Sicamor, Trus. is a very clear and fweet Liquor; And that several other Trees yield plenty of Sap, which far exceeds common Water, either for the making of Mead or Ale. The Vine, if planted for no other use, would certainly by cutting the Branches in the Spring, yield a great quantity of delicate

delicate Liquor. The Saps of the Elder, Elm, Oak, &c. are well esteem'd for their Medicinal Vertues. The Walnut Tree, and the Bramble, yield plenty of Liquor by cutting, which doubtless are not without their Specific Virtues.

Juices of Fruits and Berries. Of late it hath been proved that Quinces yield a delicate Wine, surpassing most Drinks: Peaches also and Apricocks, by some are made to yield pleasant Wines. Of the Whortle-Berries that grow on the smallest of Shrubs, is made a very fine and pleasant Drink.

Of Roots.

Some have pressed a Juice out of contused Carrots, and sound the same to be a pleasant, sweet Liquor; but this hath need of some farther enquiry into, and experiment to be made of it.

#### CHAP. II.

That the Juices of Fruits, are the best of Drinks, and Universally Celebrated

COme, and but a finall part of the known World, please themselves with the excellency of Drinks, made by the Tincture of fermented Grain: But the most part, and those we conclude to be the wifest and most ingenious, extract the long digested, and pure Liquor, from Fruits proper and natural to the Countries they Live in ; esteeming it to conduce more to Health, Pleafure and long Life, than other Drinks. A learned Author of late in his praise of Wine, attributeth these virtues or The excelqualities to it, viz. That it nourisheth wine. more than any other Aliment; That it corroborateth human Strength; That it openeth Obstructions, and comforts and exhilerateth the Spirits: That the use of it in all tempers, is most Natural Aliment :

ment; and in all Distempers, as proper Medicament. The nature and excellency of this Nectar, was so high in the Opinion of Noah, that he made it his first Art of Husbandry after the Deluge, to plant a Vineyard; The vertue and moderate use of the Juice whereof, may be supposed to be the cause why his Age extended twenty years above the Age of Adam; and three hundred and fifty years after the Plantation of his Vineyard. Drinks extracted out of Grain, and other compounded Drinks. being then not in use; nor hath the use of them, since their Invention rendred their Drinks so Healthy and Longlived, as the Spirituon Juices of several Fruits, especially of the Vine and the Apple-Tree.

But because these Wines that are endowed with these Vertues, must be imported from the places of their native growth; and do suffer so sensible a deprivation of their excellency in all respects, that they may be compared to the Drugs, transported from Cachin-China to Italy by Barri the Jesuit, which as he relateth were so altered in their Transportation, that without a special Script

HON do Nic

n

Script upon them, he could not have known them to be the same, either in Vertue or Colour: And certainly these Liquors must much more suffer, than those more solid Materials; The frequent Fermentations, Boilings, Frettings, or. of these, in their being moved and tumbled from place to place, and through divers Climates Subjected to the variety of Airs, caufing an expence of their more spiritual and better parts; and a precipitation of their more folid and delicious, which are the most nutritive; so that in effect we have but the Phlegmatic Part deprived of its principal Vertues; And that part too, oftentimes corrupted with the Coopers or Vintners Art, to make it pallatable and durable, that it becomes ungrateful to Nature, and injurious to Health and long Life, which evidently confirms our next Polition.

### CHAP. III.

That Cider and other Juices of our English Fruits, are the best Drinks for this Country.

The Antiquity of

Hat Cider hath been of ancient Use in this Kingdom, and that the name of Wine was attributed to it, I have lately met with a farther Confirmation in a small Tract, entituled Fragmenta Antiquitatis, being Ancient Tenures of Land, published by T. B. of the Inner-Temple Esquire, Anno 1679. Wherein there is an account of the Mannor of Runham, in the County of Norfolk; that the Tenant held the same of the King in Capite, by the Service of two Mues of Wine made of Permains, to be paid into the Exchequer, yearly at Michaelmas. This Service was referved in King Edward the first time, about four hundred years past; whence may be noted, That the Permain is an ancient English Apple, and that it always

ways was esteemed one of the best of Apples, and yielded one of the most delicious of Ciders. And its probable that as foreign Wines became here more in use, that Husbandry of propagating Permains decayed, the Trees being flow of Growth, and fmall Bearers, which might probably be the cause why this Wine was referved to the Kings use, . more than that of any other Fruit; it being more rare and delicious.

ıt it

o

ı.

of

y

ie

r-

r -

r,

as

e,

ce

n

VS

Cider made of Mature-Fruit, regular- The excelly extracted, and naturally prepared, cidir. detaineth its corroborating and exhilerating Spirits, and its nutrimental Sweetness, that its Vertues far exceed those of the transported Wines; and may almost compare with many of those Wines in their proper Countries. Of this matter we have faid enough in the first Part of the Treatise of this Subject; and shall therefore hasten to the true and regular way of preparing this most inestimable Drink from the Soil to the Fruit, and thence to the Liquor in the Glass, fit for the most Curious Palate; together with the several other Drinks, that are most desirable by the ingenious Enquirers into these things.

## CHAP. IV.

Of the best and most expeditious ways of propagating the several sorts of Fruit-Trees.

Change of Plants an Improvement.

S Fruit-Trees, some of them do effect one fort of Land, and some another; and that Judgment is required for the placing of these Trees in their proper Soils wherein they most delight: So do fome Species of Trees, grow weary of the Soil wherein they have been long planted, and do after some time degenerate, as several sorts of Grain do, when often fown in, or near the same place; and some Plants do the same, if planted often on the fame or the like Ground: The usual remedy in fuch cases, hath been to change the Seed, fetching it a far off; and by procuring other Plants from another Soil; as in Wheat, Strawberies, &c. is generally observed. After the

same manner, in case it be observ'd that Trees that have been planted and propagated in a Soil wherein they have delighted, ido by frequent graffing and railing of the fame Species in the same Soil, degenerate. Your fureft remedy then will be to procure Graffs or Plants of the same Fruits from another Soil; as formerly the Graffs of the Kentish Pepin were brought out of Normandy, and it proving to be a good change of Soil, they prospered exceedingly for many years; yet now it is observ'd that the Trees are more subject to the Canker, and profiper not to well, nor is the Fruit fo good as formerly it hath been 5 Therefore have fome ingenious Men, either already obtain'd, or shortly intend to procure fresh Graffs from Normandy to revew that Kind, not questioning the fuedels to answer their expediations boos son ai ni ni be cuft in fmall Hills that the

Il is observed that Honfes, Sheep, &c. Brackith chrive ibest ion Marshes that lye near for Fruit. the Sqa, unfially called the Salt Marshes, by teafon of their Brackishness. Beer, Pigeons, which thrive best also where they con come set che Salt and Frefh-water: ronst

Fish are very much improved in a Brackish Water: So are many Vegetables likewise; and in particular Apples growing on brackish Grounds near the Sea, yield a more rich and vinous Cider, than those that grow more remote; and those the poorest of all Ciders that grow on fandy Lands, which attract most of their juicy Substance from the Rains, although they are all of one Species. The Trees on such barren Lands, yielding plenty of Fruit in wet Summers, and few in dry, for want of that Nourishment which rich Lands furnish the Trees withal: Therefore those that have Lands lying well near the Sea, may promise themselves better Cider, than those more remote. Vasalis soldie

covered Lands not good for Fruit. Their remedy.

rend to procure feeth Gr. Newly 11- Nevertheless Land newly recovered from the Sea, whilft the Salt remains too much in it, is not good for Apples: But if it be cast in small Hills that the Rains may wash the Salt from it, and this labour often reitrated until the Soil be moderately sweetned, and the Trees planted shallow in it; questionless they will then thrive, and if you can bring them to grow, you need not doubt the excellency

lency of their Fruit and Liquor; And a better help to fuch Lands cannot be than a mixture of fweet Earth, fetched from above the taint of the Salt-Water, with your Salt Land: Nor can you better improve the poor fandy Orchards, than by laying near the Roots of your Trees, Salt Clays or Earths, or other faline Matters in case the Sea be near.

Besides the Codlin and Gennet-Moil; sweet Apthere are several Sweet-Apples that may ples raised be propagated by Cions, Slips or Cuttings, whose use in mixing with other Fruit in making Cider, shall hereafter in this Second Part be traced of. The raising whereof is the more to be encouraged, by reason the way is easie, and the Fruit coming to maturity about the time of the Redstreak, becomes very uleful in mixing with them as hereafter is shewn: There is an other curious Cider-Fruit, that may be eafily raised by the same Method as Codlins, which by meer accident I have discovered; but I cannot give you the Name of it, unless it be that which is usually called the Spice Apple, being to me a new Species, and came among my Codlin-Slips by accident. 13 Such

The Quince a Vinous Fruit. Such hath been the scrutinous Nature of Man, that he hath scarce left any Fruit unattempted, to extract its Blood for his use or delight: For the Quince, an austere Fruit, and of ill Savour, hath been found by expression to have yielded a very excellent Wine. Therefore in moist and rich Lands, the propagating of Quince Trees ought to be encouraged: Its said, that in that part of the Western Continent now called Carolina, there grow such vast quantities of this Fruit, that they make very much of its Wine.

whortleberries yield wine. In the Heathy Parts of Surrey, Hamp-Shire, Sussex, &c. grow great quantities of Whortleberries, usually called Whorts or Bilberries, of which is made a Wine inferiour to none of all the Artificial Drinks, that are extracted out of Fruits, being delicately tasted, and of an excellent Colour.

Planting Trees on Shal ow Land. If your Ground be shallow, either Sandy, Chalky, or Stony, Plant your Trees near the Surface, and lay store of Mold or Earth about them, for about

about five or fix Foot round the Tree, that they may feem to be planted Deep; that they may well be defended from Drought, and the Roots will naturally incline downwards, and the Trees thrive as if planted on a deeper Soil.

Many have attempted to raise Vines The most after the manner of the French in Vinyards, and have had good success in raifing them; but the Fruits (however the Vinyard hath been posited or situate) have not answered the Planters expectation, not being fo mature as those that are planted against Houses, Walls, or the like; by reason that the Air moving too and fro, incessantly refrigerates the Vine in the Spring, preventing its early Budding in the Summer, the early Blowing of the Grape; And in the Autumn, the ripening of the Clusters; so that let the Vineyard be planted against any South declining place; yet the cool Air moves through the open interspaces of the Vines, and Leaves, that rarely our Summers are hot enough to qualifie it without fomewhat of Art to be used. Therefore if thin, low

probable may to raife a Vinyard.

low Walls of Brick, or the like, of about three or four Foot high, were built the length of the Vinyard from East to West at a convenient distance, that they may not shade each other; and the Vines planted against them, at the same distance and height as in Vinyards; it would not only break the cool Breezes, but add to the heat of the Sun; especially if the Ground before them be kept bare: But lest this way may be too chargeable where Bricks are dear, it may be much cheaper to drive in a strong Stake, or two flender Stakes at the back of each Vine, of about four Foot high above the Ground, to which about the time the Vine begins to spring, you may add a thin Board of about twelve Inches broad, or two Boards fixed together, making about eighteen Inches broad; against which you may tack your Vines and prune them, as in the first part of this Treatife is directed, only you need not turn them Archwise. These Boards will break the Winds, and keep the Grapes warm after the Sun hath left them: Then after your Vintage is over, you may lay the Boards on heaps to keep

keep them from Rotting till the Spring: The Stakes may stand for many years if they are of Oaken Spine: The charge and trouble will not be great, if you consider that your arched Props foon decay, and the constant annual Charge and Trouble the Planters of Hops are at, in renewing their Poles, and preserving them in the Winter; much greater than this can be in continuing these Boards, which lie in a little room, and endure many years ere they decay.

If your Ground be so fertile, that your Vines grow too rank, and Weeds encrease too fast; then may you lay Sand near, and before your Vines, thick enough to suppress the Weeds, which will very much add to the heat of the Summers Sun, and thereby accelerate the maturation of your Grapes; and also abate the too great fertility which much of our English Soil is subject to; for the meanest dry and warm Land (so that it be not barren) is fittest for a Vinyard: Bacchus amat colles.

Many of our best Fruit-bearing Trees, cure of the are subject to that pernicious Disease canber in

The most

the Canker, which in many places destroys the whole Tree; And notwithstanding all the Cuttings, Parings and Plaistrings that can be used, yet every new Shoot will be tainted with this Discase, as it hath happened to me in many of my best Fruits; and more particularly in one Tree that I most vahied, which the Canker had yearly fo defaced, that for eleven Years together I had cut and pared its Wounds, that it was little the bigger in its growth, and had in all that time born only four Apples. In February 1682, I was willing to try fome new experiment towards the Cure of that Difease; and having confidered that the Land it grew on, was rich and light; and that in many places I had observed Trees to flourish in Courts and Yards, where the Soil was of the same Nature, and the Ground pitch'd or pav'd with Stone; I therefore caused the Earth to be taken away round my little, but diseasy Tree, about four Foot from the Stem, and about five or fix Inches deep, and in the room thereof caused Stones to be fet very close and near together in Dirt taken out of the High-ways instead

H

п

Ħ

tł

t

th

stead of Sand, after the same manner

as Yards or Streets are paved.

The Tree thus paved round, in the Summer following emitted many fair Shoots; and in Autumn 1682, yielded above fourfcore fair well grown Apples, and increased in clean Branches, more than it had done in feven Years before. without the least touch of its old Disease, and most of the old Sores were also skinned over, having first a little cleansed them. In the Year 1684, this Tree continued in its flourishing and healthy Condition, encreasing as before in its Branches; that to check its too great aspiring and spreading, I was necessarily forced to cut off the Tops of many of the new Shoots: Its Branches were also so laden with Fruit, that to preserve them and the Tree, I caused Props to be fet to support several of them; which strange effects were so evident, and conspicuous to many, that knew the former state, and after saw the amended condition of the Tree; that they were fufficiently convinced, that the laying of those Stones were the very cause of the cure; and I am the more satisfied in my Opinion that

it was so: For that in the Year 1684, in the same manner I abated Earth from several other Trees insected with the like Disease, and applied (for cheapness sake) a proportionable quantity of Chalk, and ram'd it sast about the Trees, which hath produced near the like essect, as was from the paving with Stone; but I as yet question whether it will have that duration as Stone, so as to continue solid, it being apt to dissolve,

and degenerate into Earth.

For it is the depression or detention of the Spiritus Mundi, or the true fertilizing Spirit in the Earth, about the Roots of the Tree, that those Roots may the more plentifully attract it; and the prevention of other Vegetables from extracting and wasting it, that is one principal cause of the prosperity, and fertility of the Tree fo paved about: For the more of this true nitrous and vegetating Spirit there is, and the less of the Crude and common Water, the more fertile and healthy will the Tree This Experiment I hope will be of general use and question; not but it will fucceed in most places where this Disease is common,

Never-

1 e

f

5,

11

0

n

e

y

ie -

1-

r-

or

eof

ne ee

of

ill

f-

r.

petter

Nevertheless, after all this care, there will remain some Fragments of the old Disease, it being so confirmed in the stock, that it will never be clean out of the Branch; like unto the Lues Venerea in some Annimals: For if a Tree be infected with this Disease the Canker, although you graff a found Graff of another Fruit on the stock, and leave but a few Inches of the Cankery Tree above the old stock. that finall part shall infect the new Graff, and all its Shoots: But however this Method of mine hath had much greater effects in the Cure of that Disease, and is more certain than any other yet publickly known: And the fame Tree I fo cured, continues in a very flourishing condition to this present Year 1688. its due materiay, for the luices of Fruits

are belt improved to their ownsproper

Vellele, (their skins) as Strong the Plane-

wing of all foreign Way at . let diem

hang on the lices till the talks begin to thrivel next the Branch that being

a fign that the Fruit receives no more

nourifrance from the Tree: And tarthe

Canaries wheaten our ball Wines come,

they let room hang longer. Likewill

Normandy Calaris generally (weeter) and CHAP.

### CHAP. V.

imple set or if a Tree be infeded with

Difeafeir being for configured as the fleel

Nevertheless, after all this care, the re-

Of making Cider and other Liquors, of Apples and other Fruits.

that fittall a set that interest Greeney Gr

Otwithstanding many have been forfortunate as sto thave a fair Plantation of Fruit-Trees, and those alto very fruitful; yet have they mot diad Good Gider, (unles fometimes by accident) either for that they have gathered their Fruit before it hath attained its due maturity, for the Juices of Fruits are best improved in their own proper Vessels, (their skins) as Grapes the Vignerous of all foreign Vinyards, let them hang on the Trees till the stalks begin to shrivel next the Branch, that being a fign that the Fruit receives no more nourishment from the Tree: And in the Canaries whence our best Wines come, they let them hang longer. Likewise Normandy Cider is generally sweeter and CHAP better

better coloured than the English, by reafon of the through maturity of the Fruit. Therefore it is best here to let your Timefor Apples hang as long as conveniently gathering they can: For when they begin to drop naturally, its a fign they receive no more nourishment from the Tree; or if their Kernels be black, their colour change, or their fcent be high, they may be ripe enough to gather: But Deux-Aus and other hard Fruit, may be gathered in a dry time, in October, lest the Frosts impair them: Notwithstanding they have not those signs of maturity, that other more early Fruit usually have.

n

ir l- it

-

d

ts

r

e-

n

n

e

e

e, le

d c

Some Apples retain a white colour till they are through ripe, as the White Beling, White Wine Apple, some forts of Pepins, &c. some also are yellow before they are through ripe, as the Orenge-Apple, Golden-Pepin, Kirton-Pepin, &c. their scent doth not always indicate the time of their maturity, several Winter or late ripe Apples not obtaining such fcent or fragrancy, until they have lain fome time on Heaps, or in large Vellels, where they perfect their maturity by their acquired heat, more than they could do on the Trees, moising bus nois

Laying them on Heaps.

The best way therefore is after your Apples are gathered off the Trees, to lay them on Heaps, or put them in large Vessels in a dry place, and let them there remain two or three Weeks, more or less as the Apples are in maturity, which concocteth their Juice, and very much improveth it, and washeth the more phlegmatic parts of the Fruit by sweeting; and also (by a degree of putrifaction) weakneth the Branchery or Veins that unite the Parenchymous parts of Apples, especially the more tough fort of Deux-Ans, Westbury Apples, Leather-Coats, Oaken-Pins, &c. making them to be more eafily broken in the Mill, and more freely yield their Juices: For these tough and harder sort of Fruits ought to lie till the end of November, or till December, before their Juices be throughly mature, and their Parenchymous parts made foluble; and then will these Fruits yield you the finest, strongest and most spirituous Cider of any other: Their Juices having been longer from their first formation on the Tree, to their disfolution in the Mill, in a continued state of digestion and conction, than other softer Fruit. It

It is also observable, that the more difficultly Apples part with their Liquor in the Press, the thinner it is, the sooner it becomes fine, and the more it encreafeth in beauty, colour, and strength: Therefore Apples easily yielding great quantities of Liquor are not always to be defired, by those that affect the best Cider.

Some have pretended an indifferency, Apples owhether their Apples have been rotten rotten, or not, supposing that their Cider made make no of Fruits part found and part rotten, is good ciof equal goodness to that which is made of all found Fruit; and others have esteem'd that made of rotten Fruit only, to be the best. But neither of these certainly ever made any very good of found Fruit, for if they had, they would without doubt have altered their opinion. For Apples having lain over-long on heaps till they are pulpy, and part rotten, will yield a thick Juice from the Press, difficult to be separated from the Murc, which will be long before it be fine, and much of it will be wasted by reason of the great quantity of the pulp of the Apple that will be pressed out

with it, and must be separated from it. And then the Cider will not be so good as that made of sound Fruit well ripened. Therefore the middle way is the best, as hath by experience been observed.

Of the Cider-Mill.

Next to the gathering and hoarding of your Fruit, the grinding them is to be considered. No Mill, Engine, Art, or way, having been yet used or discovered, better than the Mill described in my former Treatise of this Subject for the expeditious, easie, and even grinding of Apples, the Mill being easily portable standing in little room, and of small price, confidering the quantities of Apples that in a little time may be ground by it. One Man may grind in this Mill of the double Roll, in one day, as many Apples as a Horse can in a Horse-Mill in three days. This Mill cofting from 31. to 10 l. and a Horse-Mill from 20 l. to 201. with the room it is to work in. This taking up no more room than an ordinary Cheft, and may be eafily removed as occasion requires. The other must remain always fixt.

This Mill grinds the Fruit even, brufing every part, yet breaketh not the Kernels.

Kernels. The other grindeth it unevenly and breaketh the Kernels which prejudiceth the Cider. These new Mills of both forts were made of several prizes, as you would have them for dispatch, by Mr. Henry Allen at the Cabinet in Exeter freet near the Strand in London, and now by many other ingenious Work-Men.

After the Apples are ground, if they Ordering were very mellow, it is good to press the after pulp the next day, left the too long frand- erinding. ing occasion hear and an ill favour, and the Liquor not fo eafily separable from the Feces or Murc, which will then strain cont with the Liquor. our bone sleen range

But if the Apples were tough or hard, the long standing of the Pulp dissolves the more obdurate Particles, weakneth the Branchery or Veins that pass through the whole fleshy part thereof, by a certain and advantagious degree of putrefaction, which makes it yield its Liquor the more freely, and is in some degree a maturation of it, aswell as whilst it was in the whole Apple; also the long standing of the Pulp after it is ground, gives the Cider a better tincture than otherwise it would would

the Pulp

would have, which it attracts from the

Pill or Skin of the Apples

For the redness of the Skin in the Pulp lying long together with it, gives a tincture to the Cider, as doth that of Grapes to Wine. For the Grape whereof Claret is made, yieldeth a pale Wine as soon as it is pressed; but suffered to continue some days on the red Husk, obtains the tincture it hath when brought to us.

of the pressing of Cider.

As to the preffing of Cider, although the greater Skrew-Presses make the quickest dispatch, and press the hardest of any, yet for private Families they are chargeable and cumbersome, nor is it necessary to make so hard a pressure as is usually made by them. I have seen a Press made with an Iron-Skrew, that by it the Juice hath been so clean expressed, that it left the Murc almost dry enough to burn. There was at that place Cider made of Redstreaks, Golden-Rennets, Golden-Pepins, Gillistowers, and other of the best of Cider Fruits, and specifically each by it felf, a Hogshead at least of each fort. But by reason of the too fine grinding and extream dry pressure, the most curious Palat could distinguish but

but little difference in the Tast, which was none of the best in every fort. It was also ill-coloured and very cloudy; the last and much enforced Juice being very poor, and carries with it too much of the lignous part of the Apple, which had been more proper to have been left behind. For as all vinous Fruits have their purest part next the Skin or Pill, so is their richest Juice there contained, the Sun and Air maturating such Juice more perfectly on the extream parts than near the Core. The Pores are also much finer there than towards the middle, as appears in a diffected Apple with the help of a Microscope, which is the reason that Wines proceeding from Grapes without much pressure, are preserr'd to those that are more pressed, and the poorest Wines are those that are with the greatest force extracted. All which confidered, it is better to have nine parts of pure rich Cider, than ten of that which hath neither good Tast nor colour. Therefore so great a Press is not ab-solutely necessary in the making of good Cider.

Anew fort of Profs.

As one of the conveniencies of the Mill is to stand in a little room, and to be portable with ease from one place to another; the same is necessary in the Press, which may be made with two woodden Skrews, of about the size of the Skrews which the Apothecaries use in extracting Oils, &c. which have a very great force or power with them, and placed at about 30 or 36 Inches distant, on a Bench or Form of about 20 or 24 Inches in breadth, according to this Figure.

The smallness of the Thread of the Skrew, although it requireth more time to work it, maketh it press the Murc much the harder; but you must remember to fix the lower plank to some Post or Wall, by pieces extending from thence to the Press to keep it steady; with this may you press any quantities, small or great at any time without much trouble; it is easily made, and requires but little room. And after your Vintage is over, you may set your Press as well as your Mill, in some by-place, till the next Season requires its use again.

The

Ordering

preffed.

after it is

The Principal Cause that there hath been so much bad Cider made in most parts of England, was the too early stopping of it up. It being usually prescribed, and as usually practifed, that as soon as Cider is pressed, strained and fermented, they stop it close, with a very great confidence that unless it be close stopt it will decay, and become of no use. So that when these Ciderists have taken care for the best Fruit, and ordered them after the best manner they could, yet hath their Cider generally proved pale, sharp, ill tasted, &c. and all from the too early stopping of it, For the stopping of Cider close before it be fine, or with its Feces in it (although precipated) begets reiterated fermentations, which fermentations very much impoverish this Liquor, by precipitating those Particles which enrich it with Tin-Eure and Guft.

Whilst its gross Feces or any setting remain in the bottom, every change of Weather causes some motion therein, which is usually termed Fermentation: This doth so attenuate this Liquor, that it easily letteth or suffereth those Parti-

K 4 cles

cles to subside, and leaveth the Cider thin, jejune, acid, and ill tasted. It is thin and jejune, because it hath lost its fubstance; acid, because it hath lost its sweetness, those Particles being the Saccharine substance, or part of the Apple, and of ill favour and gust, because those Particles when precipitated, being mixt with the more gross, do putrifie and heat, infecting the whole mass in the Vessel, all which effects are apparently obvious in Cider made after the Vulgar method. These Feces they are that cause the Corks to fly out of the Bottles, or break the Bottles; or at least the opening of them makes the Cider fly, and mixing with it make the refidue unpleasant.

The various Aris
ul d in
mensing
of Cider.

These things being generally taken notice of, hath set many heads at work to provide remedies. Some have made use of many ways to serment it, and make it clear by reiterated Fermentations; others by additions, as Ising-glass, &c. have ensorced a precipitation; and when they have so done, finding it to be thin, pale, and acid, have by Molasses, Treacle, or course Sugar, given it body, colour, and gust. What delight or pleasure there

can

can be in drinking fuch Compounds; or how much this must conduce to health or long life, I leave every unprejudiced

and ingenious Man to judge.

There are others that when their Cider is thus reduced to a jejune and an unpleasant Drink, they take one Vessel, and with an Alembick extract its Spirit, and add the fame to another under the fame circumstances of poverty and unpleafantness, and then edulcorate it with Molasses, Treacle, &c. which also gives it tincture. These and many other Arts are used to sophisticate, corrupt, and debase, this otherwise pleasant and wholsome Drink.

To prevent not only the decay of Rules in Cider, but the extraordinary trouble in making curing and amending it. When it is pressed let it stand a day or two, or more, in an open Tun, or covered only with a Cloth or Boards to keep it from the dust, or in a Hogshead or other Vesfel, not quite full, with an open Bung, till the more groß parts subside: Then draw it into Pails, and fill it up into the Vessels you intend to keep it longer in, leaving about an eighth part empty. Set thefe

these Vessels in your coldest Cellars or Repositories, with the Bungs open, or covered only with a loofe Cover, that there may be a free perspiration of the volatile Spirit of your Mast, which would otherwise force its way; and that your Must may be cool, and not kept warm, lest it ferment too much.

Thus standing open, and the more open the better, it will by degrees let fall its groffer parts, and in time become clear without the loss of any of its true and durable Spirit. For coldness is here the cause of its purifying, warmth occafioning the folution and detention of those Particles that spoil the colour and tast of Cider, and which otherwise would

precipitate.

As for the time of its standing open in the Vessel, it varies according to the nature of the Fruit; If the fruit were mellow or fweet, the more of the gross particles be pressed out with the Liquor, the longer time will be required for their precipitation: But if the Fruit were hard or therp, the thinner doth the Liquor iffue out of the Press, and the fooner will your Gider become fine; and you must be sure to observe, that as soon

as this Cider of hard Apples is fine, you draw it off from its precipitated Lee, lest it become acid, or acquire some ill tast from it.

This flanding open of the Vessel causeth an expence of that wild or volatile Spirit, which being pent in, would beget a continual fermentation much prejudicing the Cider; and in case it doth not otherwise work its way out, would in time break the Vessel that detains it.

After your Cider hath stood open ordering some reasonable time, till it is become in the first indifferently fine, which it may be in Racking. three, four, or five weeks; then will it be convenient to draw it into Bottles, if you have a fufficient stock, or into other Cask, that it may there become more fine. For after it is separated from its gross Feces, it will more easily demit the remaining Particles or flying Lee, than it would have done whilft the groffer parts remained, renewing its fermentation on every change of Air, or other accidental occasion.

Its fineness will sometimes plainly appear, if you move the scum aside with a Spoon

Spoon, or the like; but to be more exact, you may take a Glass-Pipe of a Foot or more in length, open at both ends, stop the upper end of the Pipe with your Thumb, and let the other end down into the Cider as deep as you think fit, then open the upper end by removing your Thumb, and the Cider will rife in the Pipe: Then stop the upper end again with your Thumb, and take out the Pipe, and hold it over a Drinking-Glass, remove your Thumb, and you may there discern the state and

fineness of your Cider.

If your stock of Cider be not overgreat, or that you are willing to preferve your choicest forts of Cider, the best way is to have large Glass-Bottles of one or two Gallons apiece, more or less, enough to receive the same, into which draw off or rack your Cider, and let the Bottles stand open, or but barely covered in your coolest Repository for a month or more, till you observe your Cider, by your interpoling it between a Candle and your Eye, to be very transparent, which then may be called Superfine, the remaining Particles or flying

Lee being precipitated and fetled in the bottom of the Glass-Bottle.

If your quantity of your choicest Cider be too great for your Bottles, you may instead of them make use of Stone-Bottles, or Jarrs, or Stounds of Flanders-Earth, or glazed Earthen Veffels, the larger the better, which may be placed in Rows in your Repositories, Cellars, or Vaults, and covered with Boards, or the like, to preserve your Cider from dust, &c. but not from the Air. But by reason that you cannot so easily discern the fineness of your Cider in these as in the transparent Vessels, you may now make use of your Glass-Pipe beforementioned.

The reason why Glass-Bottles,or other glazed or stony-Vessels are more fit for this second fining, than those of Wood, is, for that the coolness of the Vessel very much contributes to the precipitation of those remaining Particles that would otherwise debase this excellent Liquor.

But if your quantity of Cider be so great, that these Vessels cannot receive it, then may you rack it into other Veffels made very clean, dry, and sweet, and

**fuffered** 

fuffered to stand slightly covered till it be very fine, before you stop it up. If you find that your Cider doth not fine in wooden-Vessels so soon as you desire, for want of that coldness that is in the glazed-Vessels, you may take Flints or pebble-Stones clean and dry, and put them into your Cask of Cider, this is said (and with great probability) to contribute much towards the nimble precipitation of the Feces. The like effect hath the applying of a bag of Salt to the outside of the under part of the Vessel.

Ordering of Cider after it is Super-fine.

When your Cider hath attained its utmost degree of fineness, which after this way of ordering it will do, if you have but patience to let it stand open long enough, although fome will fine in half the time that other requires: Then take your Glass Syphon or Crane and draw it off from its last Feces into imaller Bottles, wherein you intend to keep it for your use: Thus being drawn off, and throughly depurated, you may closecork all your Bottles, and place them in your cool Confervatory, where after a few weeks standing your Cider will acquire a fine briskness, and mantle in the Glass

Glass without any manner of feculency, and retain its first sweetness, and change from a pale to a lively Canary or Malaga-colour; but if you have occasion to accelerate its maturity, place so many of your Bottles as you think you may have sudden occasion for, in some place warmer than your usual Conservatory, and it will soon answer your expectation.

Sometimes it will happen that the next Summer after it is become to pure, fome Raggs or flying Feculencies may appear in your Bottles, which are occafioned by the warmth of the featon begetting another fermentation from the fatness of the body of the Cider, made of the fweeter fort of Fruit, which are not apt to appear in the thinner Cider, but in some short time these will subside. and you may draw off the fine from the Feces with your Syphon, without any great prejudice to your Cider : These later fermentations in great quantities of Cider often spoil it for want of a timely prevention, which cannot be fo well done in Vessels of Wood as those of Glass, where you may easily perceive adjud one and, bead it to the

the various changes that may happen in these Liquurs.

To make Syphons or Cranes. These Syphons are best made of Glass, but because that at the Glass-honses the Workmen will not presently apprehend how to turn them sit for this uses. You may buy at the Glass or Potters-Shops those Tubes or Pipes that are made of white or slint Glass for Barometers or Mercurial Weather-Glasses, which may be carried in a long Case to any place in this Kingdom.

Make a fire of Charcoal, or such like clear fire at some distance from the back of the Chimney or Wall, and put the close end of your Glass-Pipe into the fire, and when it is hot, dip about an inch of it in the water, and it will break off, then is your Pipe open throughout.

Then lay the Pipe across the fire (by a gradual access, lest the sudden heat crack it,) that for about five or six inches space near the middle it may be red-hot, yet so that the one end may be two or three inches longer from the hot part than the other: When it is thus hot, hold both ends of the Pipe, in each hand one end, bend it to the Form described

scribed at (g) then cool it (by a gradual taking it from the fire, left the fudden cool Air break it,) and when it is cold enough to handle, put the longest Leg of your Syphon into the fire, and when it is hot turn it into the form as at b; but because the end will be too hot to touch with your hand, you may manage that end with a pair of Tongs.

As for the fize of the Pipes let them not be of too small a bore, for then will the Cider be too long in drawing off: And as for the length, you may have of leveral lengths, that they may fuit with your greater and leffer Veffels and Bottles, and as near as you can proportion the fize of the bore to the length of the Syphon, that your Cider may flow faster out of the larger than out of the leffer Vessels.

e

se off,

y t

S

t,

r

t

t, h

2-

The manner of using these Syphons is The use of thus described: First place the Bottle or the Syother Vessel out of which you are to extract your fine Cider from the settled Lee. on a Table or Shelf as at a.

Remember before you may use of your Syphon to whip about that Leg that 15

is to be put into the Bottle two or three turns or more of Yarn or Worsted, as at b, which may flide up and down as there is occasion.

Then put that end of the Syphon into the Bottle gently as deep as it will go, and move the Ring of Yarn to the very depth of the Bottle; then raise your Syphon so high as that the lower end of that Leg that is in the Bottle may be somewhat above the Lee that subsided in the Bottle, for which the Ring of Yarn will be

i

0

P

a

it

b

Cili

a

a

al

ti

your guide, as at b. c.

Then hold your Receiver, being the Bottle into which you intend to draw your fine Cider, and to preserve it, with a Funnel on it, as at d. Then whilst one holds the shortest Leg of the Syphon at b. let another fuck at the lower end of the outward Leg, till he perceive the Liquor draw towards the end of the Syphon, then let him desist, and apply the Receiver and Funnel, as at d.

Or you may whip about the crooked end of the Syphon with Worsted or Yarn, and procure a short piece of Glass, Laton, or other Metals crooked, as at f. the one end being wide enough to cover the mouth of the longest Leg of the Syphon, which

which being applied to the Syphon, on the Worsted or Yarn, to prevent the Air from freely passing between, you may suck at the small end of the Pipe f. and when you perceive the Liquor to depend to the end of the Syphon, take away the Pipe f. and apply the Bottle and Funnel.

e

Ó

h

g

e

e

V

h

Ċ

٥.

e

r

n

r

d

1,

1,

e

le

z, h

When you perceive your Receiver to be full, stop the mouth of your Syphon with your Finger, and apply another to it until all that is fine be extracted out of the Vessel from which you draw it, which you may perceive by your Glass Syphon, for you may gently fink the Syphon at b. with your Finger, till you perceive some Cloud or foulness to arise, and then keep it a very little higher, that it may come pure, whereby there will be nothing left in the bottom of the Vessel out of which you extract your Cider, but what is meer Feces, with very little wast; however you may pour out all the Feces into some other Bottle or Vessel, and let them stand until they are again fetled, and you may then extract the fine as before, so that there may be almost no wast: Thus may great quantities of Cider be drawn off in a little

time by two perfons, when they are once fee about it, and you will foon find the benefit of it. end of the

An Fyror corrected.

In the first part of this Treatife, I preferibed Fermentation to be a means to purifie Cider; and alledged that warmth was a principal help to provoke the fame, as in truth it is: But fuch Fermentation that was at that time by many made use of, did very much prejudice Cider, and therefore to be prevented; There being no other Fermentation required in preparing the choicest Cider, than only expoling it to the open Air, that the volatile Particles may evaporate, and the Feces fubfide, which otherwife would beget a reiterated Fermentation, not only to the impoverishing of, but giving an ill Tast to that which otherwise would prove the best Cider. The subsiding Feces having an ill Tast and Smell, easily impart it to the Cider; as lately happened to one that by the advice of an ignorant Ciderist, after he had drawn off his Cider from the Lee or Feces, put the said Feces in a flannel Bag, usually called Hypocrates his Steeve, through which the Cider finely distilled, and

2

-

P

ó

1

19

and was nery pleasant to the Eye, but not drinkable by reason of its ill Traft and Savour which it received from the Fecting forthat in case the Cider so drawn off had frood long on those Feces, that Tast and Savour had infected the whole quantity, though not in fo high a degree as it did the small part distilled through the Flaund on maly I hoov to obem

ce

10

6-

to

th

he

nny

ce

1 4

e-

er,

ir.

0-

er-

n-

of,

ch er.

aft

7 5

he

he

or

ıg,

e,

ed, nd ruoleo li no e

Some persons have made great quan- of Villes tities of Gider, and at the fame time have disposed it into several Vessels. But cider. the Giden although alike at the tunning it up, wer at the drawing it forth, bash proved of different Tast and other qualities, which very much perplexed the curious Observators to find out the cause of such variance. At length they did observe that in all those Vessels that were made of the white Out. the Gider was well coloured, and of a good Tafte but in those that were made of brown or med Oak, it was it contrary, so that they concluded the faults or defacts of Gider to be from the Veffel. Quere Whether the upright Wessel whose Ribs are streight, being made of Firme, may not be very proper for the keeping

of Cider, it being probable that such tast and colour that may at the first be taken from the Firre, may rather mend than marr the Cider; however it will be sooner extracted from it than from the Oak.

denodr sventenio

Earthern Veffels the best.

As for Hogsheads or other Vessels made of Wood (when new) they are apt to ting the Cider with an ill colour, and give it an ill Tast; and when they have been used, although with the same fort of Liquor, they retain some tartarous matter which disturbeth the Cider newly put into it, and fometimes fo much that the Cider will hardly ever be clear; therefore the less time that Cider remains in the wooden-Veffels the better it is: But to prevent fuch ill effects, Experience hath taught me, that open Vessels of Glass, or glazed-Earth are the best, not only for the retaining the natural gust and colour of the Cider, but for the better and more expeditious purifying of it, having feveral times put small quantities of Cider from the Press, formerly in Jar-Glasses, and fince that in glazed Earthen-Pots, which in the same manner hath rendred the Cider much

much exceeding that, which at the same time, and of the same fort, hath been put in wooden-Vessels and narrow-

mouth'd Glass Bottels.

aft

en

an

be

he

els

are

ur,

ey

me

ta-

der

fo

ær

at

he

ef-

nat

th

ng

er,

ti-

ies

he

ce

in

ch

Therefore if you take Earthen-Vessels glazed within that will hold four or five Gallons each (more or less) as many of them as will contain the Gider you make, and fet them in Rows on the Ground and on Benches in your Cellar or Repository, and fill them with Cider from the Press, and let them stand open, or but slightlycovered four or five Weeks, or more, till the Cider be throughly fine, you may then Crane it off into Bottles for use; or you may by emptying one of the Vessels draw it from the next into that which is empty, and so go round till all be drawn off; and then let it stand another month without the Lee till it be Superfine, and then draw it off into Bottles for use. If you live near a Potters you may have these Vessels made with Tap-holes about two inches from the bottom, and so may with a Cane or fmall Tap draw it off without the use of the Syphon, and leave the Feces behind.

Thefe

These Vessels, all things confidered, are cheaper than Barrels or Hogsheads of Wood: First, for that you have more by the Gallon for your mony of the Earthen than of those made of Wood; then will they last longer (with care;) for after the Cider is drawn off, you may scald them, and set them by, with their bottoms uppermost till another year, without danger of growing Musty, or want of hooping.

In the Cellar or Conservatory, they stand as in Figure 11; and when you have drawn off the upper Rows on the Benches, you may then set those on the Ground, and upon the Benches in the room of the other, and so draw them off likewise; you may have also two or three Rows the one above the

other.

Divers Ciders out of the same Apples. Besides the observing of the time of gathering and grinding of Apples, which causeth a great Variety of Ciders; there is in the same Apple such a difference in its parts, that the one part produceth a better Cider than the other. In oblong Pears the best part is that which is next the tail, that being the smallest end, the whole

LITHE DA

At Errar

whole substance of the Fruit passing throgh it, is the cause why that part is the best. In Apples the outside is the best, being more maturated by the Sun and Air than next the Core, and there is the fichest shice contained; the Pores are also much siner there than towards the middle, as appears in a dissected Apple by the help of a Microscope. In Grapes the richest shice is also next the Skin, and most easily expressed, which is the reason that Wines proceeding from Grapes, lying in large Vessels without any other pressure than their own weight, are much more excellent than those that are forcibly expressed, which by all are found to be the poorest.

Therefore if you intend to have a more rich Citter than is ordinarily made out of the same Apples, you may pare the outfide of your Apples about the thickness of a Crown-piece of Silver, and grind these thick Rinds very fine claying by the insides to make a meaner fort of Cider) by which you will soon find the difference, as well in colour as flavour

the Trees fix or feven weeks after they

timated that by letting Commis daily on

df

e

3074

7

Diversly coloured also.

But if you will have a rich coloured Cider, take of the reddest fort of throughripe Gillyflowers in November, and pare about a third or fourth part of them you intend to grind as thin as an old Six-pence, lay these parings by, then grind your Apples and press your Cider; afterwards when your Cider is disposed of into its proper Vessels (of which the Glass or Earthen are the best) add the parings you laid by, and let them remain in the Cider 14 days more or less at your discretion, and when your Cider is fine, draw it off from those parings; and although your Cider at the first feems not to have much of the colour of the parings, yet will it be so much improved by them, that in a few weeks its colour, gust, and flavour will excel that which shall be made by any other way or me-thod; and the richer will it be if made of the Rinds pared thick, ground and pressed without the insides, as before is directed History dade

An Error an making Current Wine correfled. In the first part of this Treatise, I intimated that by letting Currants hang on the Trees six or seven weeks after they ed

h-

ire

em old en

ed

he de er se se se de de de de

n

y

are red, would digest and mature their Juice, that it needed not that large addition of Sugar which otherwife it would do; which I concluded to be true, because all or most of other Fruits become fweeter by hanging long on the Trees after they are ripe, as Grapes, Cherries, Plums, Goofeberries, &c. But now I have observed that Currants only by long hanging on the Trees, after they are ripe, become more acid. Therefore they ought to be gathered as foon as they are through ripe, if you intend to make Wine of them. But if you intend them for Vinegar, the longer they hang the better, and this is the best use their expressed Juice can be put unto, it making the best Sauces of any other acid Juices; and its Wine, unless kept till the Sugar and the Liquor are throughly incorporated, is none of the most grateful to the Stomach. od I wante in ano) a Gult like Caumy Viane

Take a pound and a half of Loaf- To make Sugar, the finer the better, to which put Apricott three pints of Spring Water, and so in that proportion for a greater and leffer quantity; fet this over the fire until it boil, and after you have clean scum'd it, take

take a pound of Apricocks through ripe to each pint of Water, pare them than, and from them, and put them into the Liquor, and let them be boiled therein until they become tender; then take the Apricocks out, and put a Sprig of floured Clary into it, and after it hath boiled a little take it out, and let the Liquor cool; and when it is through cold put it into large Bottles, and let it stand easily stopt till it be very pure or fine, then Grane it off into quart or pint Bottles as you please, and close stop and keep it for your use.

Wine, and the finer the Sugar is the whiter will your Wine be; and it receives a very fine relish from the Apricocks, which yet remain form and undiffolded, and are fit for your Confectionary. The Clary gives it a Gust like Canary Wine: If you keep this Wine two or three years will the Sugar is perfectly dissolved or digested in it, it becomes one of the best of Artificial Wines. Proba-

After

pe

m,

he in

be d

2

13

O

it it

u ır

e

After the same manner may you ting To make Sugar-Wine with Rasberries, without wine. leaving the juice or substance of the Rafberry in it, which is apt to corrupt it. Or you may ting it or give it a gust with any other Fruits or Flowers.

I have formerly given you fome ac- of choescompt of the nature of the Cacao, with late. the manner of compounding of the Vertues of Chocolate: I have little more to add, but that several Authors of the American Histories have at large fet forth the great Values that are fet on the Cacao Nuts in those parts, being eaten without any preparation, fatiating, and not cloying the Stomach. But much more on Chocolate, which the Europeans learned to make of the Indians, which they looked upon as the greatest delicacy for their extraordinary Entertainments, and which they offered to the Spanish conquering Generals, as the best Collations they could give them; and is of fo common use there, that the Spaniards constantly drink the same in their Churches.

Some esteem that which is made of the Nuts alone, made into a Past and diffolved

dissolved in Water; others with the Nuts made into a Past with Sugar, and so dissolved in Water, wherewith many Indians and Christians in the American Plantations have been observed to live many months without any other Food.

Its Vertues are very eminent in fortifying the procreative faculty; it preserves Health, and impinguates, causeth a good Digestion, is very Restorative in a Consumption, and is good in the Cough of the Lungs, Plague of the Guts, and other Fluxes, the Green-Sickness, Jaundise, and all Instammations and Opilations, Sweetens the Breath, provokes Urine, Cures the Stone and Stangury, expels Poison, and preserves from all Insectious Diseases.

Of coffee.

Coffee is a Drink so generally known, that I need say little as to the preparing it: The Berry is imported by the Merchants from Arabia and other Eastern Countries: The Berry or the Powder is to be bought at most Coffee-Houses in London. Its preparation is to mix an ounce of the Powder with a pint and half of hot Water which hath been boiled half away; after the Mixture it is to boil

boil a while, till the water be well tinged with it.

e

d

y

n

e

-

s l f

r

S

Its Vertues are that it indisposes the Body to sleep, and so is good for those that affect late Studies: It allayeth the Heats and Fumes that arise from a full or foul Stomach, and so is good after a Debauch in eating or drinking: It is proper in Headaches, Dizziness, Lethargies and Catarrhs, where there is a gross habit of Body, and a cold heavy Constitution, and very effectual in opening Feminine Obstructions.

But to lean and active Bodies Coffee is not agreeable, nor good for uxorious Men, it incapaciting them for those pleasing Exercises Nature of it self inclines them to, and often renders the Drinkers thereof Paralitic, it being a kind of Opiat. Its faid, the Persians drink it, to allay their Natural heat, that they may avoid the charges and inconvenienes of a fruitful Family. So that taking its good and bad effects together, its good for nothing; but with Tobacco to entertain those that are at leisure to discourse about the Intrigues of the Town, and . fometimes of the general 'Affairs of the World.

of Tea.

Its preparation I have touched upon before: As for the Qualities and Virtues of it, I will add fomething to what hath been written in the first Part; it hath much of the same Vertue as Coffee, by inabling Men that drink of it, to Lucubrations or late Studies, by driving off fleep; yet without those ill effects that Coffee commonly produces; it makes Men active and lively, which Coffee doth not; It clears the Head, and opens the Urniary passages; it prevents Drunkenness, taking it before you drink Wine; for being drank hot, it fills the Veins and other vacancies, which otherwise would attract the Wine. Its a great dryer, and therefore no Enemy to Chaflity. It removeth the Obstructions of the Spleen and Gall: It is good against Crudities, causeth a good Appetite and Digestion. It vanquisheth Dreams, easeth the Brain, and strengtheneth the Memo-These are the Principal, but there are many more Vertues attributed to this, the best of our small Water-drinks; and certain it is, that many ancient Men fince the use of it in England have preferved themselves very lively, considering

ing their great Age by the constant use of this Drink, which is not to be flighted.

n es h h

1-ff

ıt

es

e

15

1s le

ut 2-

of

a

d

7-

re

9

n e-

ng

A late Author having written the of the ex-Natural History of several Leaves and Berries, introduces Juniper-Berries to have many extraordinary Vertues, and directs that an ounce of them well cleans'd, bruis'd and mashed, will be enough for a pint of Water 5 when they are boil'd together, the Vessel must be carefully stopt; after the boiling is over, add a spoonful of Sugar-Candy; the effects are extraordinary in the Stone and Wind-Collick. The extract of this Berry is also commended in many other Distempers, of which almost every Phyfical Author Treats, and most of our Country Doctors prescribe the use of it.

tract of Funiper-Berries.

Mum is not only become a common of Mume Drink in many places of this City, but a very wholfome Drink, and may without doubt be made as well here as in foreign Parts, we having all the fame Materials whereof it is compounded. The Receipt is published in the before-mentioned

tioned Natural History, which he saith is recorded in the House of Brunswick: And is to this effect, Take 63 Gallons of Water that hath been boiled to the Confumption of a third part, then brew it with seven Bushels of Wheat-Malt, one Bushel of Oat-Malt, and one Bushel of ground-Beans; Tun it, but fill not the Hogshead too full at first; when it begins to work, add to it of the inner Rind of the Firre three pounds, of the tops of the Firre and Birch, of each one pound, of Cardnus Benedictus dried three handfuls, Flowers of Rosa folis two handfuls, of Burnet, Betony, Marjerom, Avery, Penny-Royal, Flowers of Elder, Wild-Thyme, of each one handful and a half, Seeds of Cardamum bruised three ounces, Barberries bruised one ounce, put the Seeds into the Veffel.

When the Liquor hath wrought a while with the Herbs, and after they are added, let the Liquor work over the Vessel as little as may be; fill it up at last, and when it is stopt, put into the Hogshead ten new laid Eggs, the Shells not get crack't or brok'n; stop all close and drink it at two years old; fome add the Water-Cresses, Brook-Lime and Wild-Par-

fley,

b

ft

it

of

an

th

To

w

fer

Wi

by

pu

dri

as l

fley, of each fix handfuls, with fix handfuls of Horse-Radish, rasped in every Hogshead: It was observ'd, that Horse-Radish made the Mum drink more quick than that which had none. If Mum be carried by Water it is the better. Thus far the Jame Author.

Mum, Ale, Beer, and all fuch gross bodied Liquors are much refined by carrying them by Sea, and drink much better after such motions than before.

2

r

e

h

d

is r-

of

ul

d

ne

re

he

This Liquor thus prepared is very strengthening from the Malt and Beans it is made withall, and is a great cleanfer of the Reins, and good against the Stone and Scurvy, from the great quantity of the Firre that is used in it, being of a Terebinthine-Nature, and much more wholfome than Hops: The Eggs preserve it from being sour, which otherwise in so long time it may be subject to, by reason many of the Ingredients are put in green; which if it were made of dried Ingredients it may very well keep as long without any acidity. Green Ve-getables being far more apt to flatten dd and corrupt any Drinks than dry: As those that make compounded Ales, Mear-theglin, &c. can testifie: And as to the Rey, M 2

time of keeping it, nothing is more certain than that such strong compounded Liquors are very much improved by time. All those various and different Ingredients being thereby digested into one substance, not to be distinguished by the most curious Palat, but purified and made a most desirable Drink, far excelling that crude Mum that is usually fold to the great disparagement of that which hath been kept its due time, and was at

the first duly prepared.

In the first part is a Catalogue of Fruits growing in this Nation, and fit to be planted in your Vineyard, to which I have many to add. But finding that Names fignifie little, and the Natures of them are difficult to describe. He that hath a Will to furnish himself with such that are excellent, may have the Trees of Mr. George Rickets of Hogg sden, mentioned in the first Part, who hath the greatest variety of the choisest Apples, Pears, Cherries, Plums, Apricocks, Peaches, Malacotones, Nectorines, Figgs, Vines, Currans, Gooseberries, Rasberries, Mulberries, Medlars, Walnuts, Nuts, Filberds, Chesnuts, &c. that any Man hath, and can give the

the best account of their Natures and Excellencies.

cer-

ded

by

rent

nto

by

and

cel-

old

ich

sat

of

to

ich

hat

of

th

nat

of

nitrs, ar-

10

To my first Part I added a small Tract, being a Discourse of the Government and Ordering of Bees; and finding that I have here room enough, instead of enlarging that, I will subjoyn a few Pages by way of Essay towards the discovery of the Original of Fountains and Springs, for on fuch things do our Husbandmen fometimes contemplate, especially when the scorching Sun, great Rains, or darksome Winter nights forbid their Rural Exercises: All such times are their Minds taken up with thinking how, and from whence Rains are produced, and from what cause Springs so plentifully flow, and Rivers swell to so great a Bulk. To encourage such Enquirers, and furnish them with new matter to whet upon, I have offered the following Eslay.

Of

## Of the Original of Fountains.

He Original of Fountains being remote and obscure, is not so easily discovered, as some have thought. Nevertheless have many very able Philosophers attempted to do it; some imagining it to be from one, some from another Cause. I will therefore, amongst other Observators not only, pass my Censure on some of their pretended Discoveries, but cast in my Mite of Enquiries amongst the Treasures of the Learned, for the finding a more probable, if not their true Original.

s. That Springs proceed from Rains. The first Opinion of the Original or Cause of Springs and Fountains that hath infinuated it self, and is rivited into the Minds of most thinking Men, is, that they arise from Rains, dissolved Snows, &c. For the Confirmation of which, much hath been said and written.

Ressons as gainst it.

Against which Opinion, I will offer some Reasons: As first, That there is a very great diversity in the Wetness and

Driness

Driness of Years; in some Years it rains very much, and in others very little: And especially in the Winter-Seasons, it being easily to be computed that four or five times the quantity of Rains falls in some one Winter as doth in another; yet nevertheless do the perennial Fountains flow, but little more in the more rainy Winter than in the other; or at least the disproportion of the Fountains is not answerable to that of the Rains: As may very plainly be observed in all Fountains issuing out of Rocky and Mountainous places. As in this beginning of the Spring 1685. the clear and swift Fountain floweth with almost as full a stream from Alresford to Winchester after almost two years drought, as it usually hath done after the most Rainy-Seasons. And in case there be any defect of Water in it now more than formerly, it may be imputed to the attractive vertue of the dry Earth near unto its Springs and Currents in fo dry a Season, rather than to its Original; the like I have observed in all perennial Fountains.

That there are many hilly places of feveral Miles extent, without any Springs or Fountains in any of the Valleys amongst M 4

amongst them, and the Lands on such high places are fruitful and inhabited; and where the Rains fall equally plentifully, as they do in the lower and larger Vales, yet are the Wells on such high places digged very deep before they come to the Springs; and those Waters cannot be supposed to be compounded of Rains, Snows, &c. because Rains nor melted Snows descend not so deep. For if they did, then would the Earth, of what nature or kind foever it be, be imbib'd therewith from the Surface, to the resting place of fuch Waters, and there would necessarily be a continual descent guttatim, especially near the bottom of fuch Wells or resting-places to supply those Fountains, which there is not, as appears in Caves that are deep in the Earth, and Conservatories made for Snow, which are always dry. Cardanus libro quinto de subtilitate, dicit quod Cuniculos ad evertenda Oppida etiam sub aqua effodiunt, &c.

P

tl

0

0

V

n

E

t

ti

N

Another Reason that induceth me to believe that Springs derive not their Original from Rain, dissolved Snow or Hail, is for that there are plentiful Springs and Fountains under so great a quantity

quantity or thickness of Earth, Clay, or the like, that is not penetrable, or rather penetrated by these Waters that are on the Superficies of it. As is most evident on the great Flats near the Sea, which are overflown with Salt or brackish-Waters; yet by digging 40 or 50 Foot through a Bed of Clay, a Spring of most sweet Water hath been discovered, when as the more Salt or brackish-Waters have not permeated through the Clay or Earth to mix with it notwithstanding the vacuity of the Well was large enough to have received it. And it is as evidenr within the Land, where feveral small perennial Rivers flow, yet very near the same, are Wells digged 15 or 20 Foot lower than those Waters where Springs are found, which yield great plenty of Water, that have not their Original from Rain percolated through the Earth; for in case they had, then would those Rivers descend also by the fame Pores as did the Rain.

in resolution

A fourth Reason is, For that when Rains fall by easie Showers (as they generally do) the thirsty Earth imbibes and detains them very near its furface, and in a few dry days as eafily imparts with

with its newly received moisture, that b fometimes plentiful Showers (that in case n they had been received in a glazed-Vef- tl fel, might have filled the same two fo inches deep,) in three or four days shall fi be for the most part exhausted again. If And this is plainly visible in newly ared S or fandy barren Lands; and likewise in w Grounds covered with Vegetables, fuch II Rains are soon imbib'd, and as soon difposed of; yet under these Lands usually for issue out large and constant Fountains. p For I know feveral constant Springs isfu- to ing from under most barren, fandy, heathy Grounds, that are never obferved to encrease after the greatest Rains or most wet Seasons, nor to lessen after the driest; and those sandy Grounds for a great distance from those Springs of no greater height, but that n great Rains or Droughts would beget fensible alterations in such Springs, had they no other Original than from Rains, V or (indeed) had the Rains any commerce at all with them.

V

C

a

i

ti i

> V V

> C (

> > g

F

r t

If we would but consider further how all those Waters are disposed that fall by Rain and Snow, that alone might be a reason sufficient to induce any one to believe all

in.

in ch

if-

lly

ns.

uly,

best

en

dy

ofe

nat

get ad

ns, ce

W all

be

to

ve

at believe that Fountains and Springs have afe not from them their Original. Instead ef- therefore of wondring what becomes of vo fo great quantities of Rain and Snow, from whence Fountains and Springs should proceed, if not from Rain and ed Snow, we may rather admire from whence so much Rain should proceed. If it be faid to be a conversion of Air into Water, that cannot be, for Air is as perfect body as Water, only it is more porous or spongy, and so more capable to be expanded and contracted than Water is; and thereby adapted to receive great quantities of rarefied Water, and detain it until it be again condensed into its first form: And if Rain be said to be exhaled out of the Sea, that is very improbable as to the whole; in part it may, as from all moist Bodies. For Salt Water is not so apt to distil as sweet Water is; nor do the great Rains (nor Winds which proceed from the same cause) come so often from the Maritime Coast as from the more Inland in the great Continents. But Rain is more properly (as may be supposed with reverence and respect to the more Learned) those Particles or Atoms, that by the

heat or virtue of the Sun, are exhaled from the Earth, Waters, Vegetables, and all moist Bodies through the pores of the Air, until they are by its frigidity condensed into those drops that distil in the usual forms of Rain, Hail or Snow, so that no part of the Superficies of this Globe can be said to be exempted from contributing to those fruitful Showers that usually bedew the same; which if it be granted, then the 19 inches and more of Water found by the French Anonymus Author to fall in every year, as is mentioned in Dr. Plots most ingenious Tentamen de Origine Fontium, Sect. 27. may easily be supposed to be wasted in so many of the 365 days that happen to be dry, windy, frosty or hot, in which the moisture of the Earth is usually exhaled; for in the beginning of April 1685. an inch of Water exposed to the Sun and Air in an Earthen-Vessel was wasted in less than three days. And in case I should presume to say that much more Water was annually exhaled from the Terrene part of this Globe than descended on it by Rains, Snow or Hail: I believe I might find Credit amongst some of those that understand by what influence

aled and

the

con-

the

, fo

this

rom

vers if it

and

nch

ear.

mi-

27.

in

to

ich expril

he

vas

in

m

an

1:

at ce

influence all things fublunar, have their motion and encrease, which if true, then certainly those vast Fountains that water this Earth have fome other Original than Rain, Oc. And in case it be objected by any, that the Exhalations from the Sea contribute much towards the encrease of Rain: I answer, That much Rain also falls on the Sea, and not improbably much more than arises from it.

Another Opinion fome (and those more Learned than the other ) have received, that Fountains proceed from the from the Sea by subterranean passages, and so return again above the Earth by way of Circulation; that Rivers never want, nor the Sea superabounds with Water.

Springs

One Reason for that Opinion is, that Wells or Pits digged near the Sea are for that filled with brackish-Water, and those more distant with sweeter, as said Car-And he was likewife of Opinion, that there were fweet Waters under the bottom of the Sea, Lib. 5. de subtilitate. It being most true, that such Springs that are composed of Waters percolated through the Sands, the farther from the Sea

Sea they are, the more sweet. But those Springs or Fountains that proceed from another cause are as sweet under the Sea as in the highest Mountains, as was that Fountain mentioned by Pliny, lib. 5. cap. 31. And as by several other Examples is demonstrable.

fi

A second Reason.

Another Reason that seems to fortifie that Opinion is, That many Springs, Fountains, and other Waters at great distances from the Sea, ebb and flow as doth the Sea next adjacent to such Springs or Fountains, and that feveral Fountains are Salt, &c. therefore they have a certain Commerce with the Salt Ocean. To which I may answer, That some Springs lying low and near the Sea may ebb and flow at the same time as doth the Sea, by the pressure of the water in the Ocean against the loose Sands, through which the other part of the Water passes that proceeds from the fame Head: Nevertherless the Spring that ebbs and flows near Newton in Glamorganskire, although but an 100 Paces from the Severn-Sea, is at the lowest ebb when the adjacent Sea is at the highest Flood stand when it is low Water

n

S

Water in the Sea, then is the Spring full. As Mr. Speed observ'd in his Description of Glamorganshire. But that the flux and reflux of Springs that arise at any great distance from the Sea should be caused from the flux and reflux of the Sea, it doth not plainly appear; for that those of any height or distance from the Sea do not usually observe the times of the flux and reflux of the Sea: As that of Weeding-Well or Tides-Well in the Peak in Darbysbire. And that the Cannenstan Territory near to the Lake Larins, which every hour ebbeth and floweth, mentioned in Pliny, lib. 2. cap. 103. and divers others; only that on the top of the Mountain in Flintsbire is mentioned by Mr. Hooke in his Micrography, p. 27. to ebb and flow as the Sea doth; but why then do not the Springs that are lower and nearer the Sea? As for Fountains that are Salt, it may be supposed that their faltness proceeds from some other cause than from its Commerce with the Sea. For if there could be no other cause, then must we suppose that there are Hot, Sulphureous, Bitumenous, Aluminows and Nitrous Seas, from whence Fountains of those qualities proceed.

But

Reasons against that Opinion.

But if we feriously consider upon what mistake that Opinion is grounded, it will not be difficult to wave it, and embrace a more probable. For many are induced to believe that all perennial Fountains derive their Original from the Sea first by large subterranean passages or canals, and then divided into small capillary Pipes; and so by the immense weight of the Air on the Ocean, such Water is forced into smaller Fountains on the highest parts of the greatest Continents; as Quick-filver by the weight of the Air without, is raised in the Tube of the Barometer within. Or as Water is raised in Glass-Pipes above the Superficies of the Water without, by the pressure of the Air on the same, which to me seemeth a very great Mistake.

Because if you fill the Tube with Quickfilver, and with your Finger, or a piece of Leather, stop the open end thereof, then invert the Tube, and suffer rhe Quick-silver to strain out at very small passages below, it will descend equally to the same height, as if the end were placed in a Stagnum of the same Quicksilver; therefore it cannot be the pressure

of

pon

ed,

und

ny

nial

the

ges

all

nse

ich

ins

n-

of

be

is

ies

of

th

k-

ce

of,

ne

ill

y

re

k-

ne

of

of the Air without on the Stagnum that must support the Cilinder of Quick silver in the Tube; for in case also that you fill a Tube with a small bolt-head on it with Quick-silver, and invert it, that whilst you stop the lower end, the Tube is evenly full as in the Barometer; yet when you remove your Finger, the Quick-filver will descend so far as the extended Air will permit it, which will be much lower than that in the Barometer. Now if the weight of the ambient Air on the Stagnant Quick-filver were the cause of the ascent of the Cilinder of Quick-silver within, then would that arise in the headed Tube equally as high as it doth in the Barometer; for it is not to be supposed that the weight of so small a quantity of Air in the head should depress that which of necessity must be supported by a greater weight without, as is pretended.

Besides, it is most apparent that any warmth artificially applied to the head of the Thermometer causeth the Water in the Tube to sink, and Cold to rise, whereby it indicates the temper of the Air ambient on the head, rather than of the whole body of the Air as high as

I the

## Of the Original of Fountains.

the Atmosphere, which last some have supposed by its weight on the Stagnum to support the Water in the Tube. fame is in the Barometer, but with allowance, as to the difference between Water

and Quick-filver.

As to the ascent of Water in Glass-Pipes open at both ends in the smaller Pipes higher than in the larger, that may very well be supposed to arise from the attractive or sympathetical vertue in the Glass, because the nearer the fides of the Glass are the one to the other, the higher doth the Water ascend; for if the Pipes are short, or so depressed, that the 'tops are near the furface, the Water will not rife high enough to flow over, although the weight of the ambient Air on the Stagnum be the same, by reason that the attraction is lessened thereby. All syphonical Filtrations, and Mr. Hookes Observations in his Micrography, are from the fame cause."

Therefore all those Suppositions that are founded on that Thesis must stand and fall with it.

e

m

e

r-er

3-

r

y

e

ie

re

er

es

ps ot

h

ne

c

)-

-

ıċ

at

d

lt

But the Opinion that comes nearest to 3. That the truth of this matter, is, that hinted a springs by the Learned Dr. Stillingfleet, in the from the fourth Chapter of the third Book of his central Origines Sacra; which is, that the inte- Earth by rior heat of the Earth causeth a conti- way of nual Evaporation of the fubterranean tion. Waters, which by the cold Superficies are condensed into Fountains.

part of the Distilla-

To maintain which, it must be suppofed that the Earth, as one great Animal, containeth in it a Central heat, which by its own motion (as from the heart in the Body) causeth that continual Evaporation. Now such a heat and motion in an Animal is maintained and fed from nourithment received from without, otherwise it would foon decay. So likewife would it do in this Globe of Earth, in fo long time as it hath endured, which being seriously considered of, pointern out unto us the most probable Opinion.

white the state of

The last the o nun same il su da

## Of the true Original of Springs.

F the Celestial Sun be placed in the Center of the Universe, virtually giving life and heat to all things that live and move, according to the Laws of Nature instituted by God himself, as I hope none will deny; It is not the common fensible heat of the Air, by what foever Accident warm'd, that makes Vegetables flourish in the Spring more than in the Autumn. For the Weather is usually much more temperate and fenfibly hot in the Autumn than in the Spring: Nor is it the external warmth of the Months of September or October that excites the Venereal Faculty in most Animals, especially Fowl; but it is the Virtual Influence of the Sun in its approach to his Northern Hemisphere, although in cold January and February, that impregnateth the far greater part of Vegetables and Animals with a power to vegetate, increase and multiply.

It is not the pressure of the Air, nor the crowding of it into the Pores of the Earth that forceth the ascent of Sap in Trees; nor is that ingenious contrivance of the Laborious Dr. Grew in his Anatomy of Plants, lib. 2. part 2. cap. 1. that gives an ascent of Sap in Vegetables. But it is the virtual power of the Sun that attracts the Sap into the Branches from the Root; after it hath given the Seed or Root a power to attract the Aqueous Spirit from the Earth. For it is most plain, that Seeds fown, or Trees standing in Earth not wet, or abounding with moisture, will nevertheless attract a far greater quantity of that Aqueous Spirit for its nourishment, than that Earth contain'd within the extent of their Roots. For the Atoms of moisture that continually perspire, are intercepted by the attracting Roots of Vegetables, where they lie in their way.

Wherefore as Fountains have their Original and Course by the Laws of Nature after a most certain and sure Method; why may we not imagine that the virtual Influence of the Sun on this Orb of Earth, moving by a certain Rule and Order, may not excite, and by

N 3 attraction

attraction beget a continual Evaporation or Perspiration of moisture from the subterraneal parts thereof, which by the condensation of its superficial Cortex, may reduce part of such perspiring Atoms into plentiful Fountains. And those again by slowing into the great Receptactes of Water, the Seas supply those desects, so great an attraction might otherwise be the cause of.

It may also be supposed, that this Virtual Insuence of the Sun, by the same Law of Nature, attracts all those Atoms from the Earth that are not condensed into Fountains as well as those from the Sea, that afterwards are condensed by the Air, and so plentifully besprinkle this Globe, and in some places make so great Inundations.

Seeing then that Fountains, Rains and Snows may probably proceed from one and the same Cause. The discovery of the Original Cause of Rain, Snow, &c. may make that of Fountains more easily to be apprehended. It will not be amiss therefore to offer some Considerations concerning The Original Cause of Rain, Snow, &c.

好

1. The height of the Atmosphere may be confidered, which some suppose to be about three Miles in height, above the Superficies of the most even part of the Earth, above which no Clouds move. Dr. Brown in his Enquiries into Vulgar Errors, lib. 2. cap. 5. is of Opinion, that the remotest distance of Clouds is but two miles; which seems very rational, if we consider, that on Mountains a Man may see over the Clouds every way. And that as the same Author, lib.7. cap.6. feems to allow the perpendicular altitude of the highest Mountain to be but four Miles. And the Account that Dr. Sprat in his History of the Royal-Society, gives of the Pico in Teneriff, relates it to be but two Miles and an half, yet esteems it to be the highest in the World, whose top is thought to transcend any Clouds, at least such that afford Rain or Snow.

2. It may also be considered, that Clouds carrying Rain, Snow, &c. move not far before they wast themselves, or distil on the Surface of this Globe: For great Rains have fallen on several parts of this Island, when on other parts about the same time none have fallen. Great Thunders have also happened in some N 4 places

places, when at 15 or 20 Miles distance they have not been heard. Cardanus, lib. 17. de subtilitate, will not allow the Clouds to be above 500 Paces, or half a Mile in height, and visible not above 30 Miles. That a Man being in Milan cannot tell when it rains in France.

2. If then that Clouds afcend no higher, nor are carried far; then must they arise and encrease near where they fall, which is not difficult to demonstrate; It being conspicuous to every Eye, that Clouds, especially such that are most inclinable to afford Rains, &c. do from a very small beginning encrease in view to be large and showring, which sometimes fall not far from the place of their Original. And whereas it is vulgarly apprehended that Rains are exhaled from the Sea, and carried by the Wind over the Land; it is against Reason to imagine that the Rais that come with a Northern-Wind, and fall in the South parts of this Island, should derive themselves from the Northern-Seas, and be carried with fo gentle a gale as they fometimes come withall, over so large a tract of Land 3 or 400 Miles, and not demit so great a burden of Water; and much

much more unreasonable would it be to think, that all those great Rains that come from the Northwest in the great Continent of North-America to the New-English and Virginean-shore, and those that fall under the Meridian-line in Africa should be no otherwise extracted than from the remote Seas 30 Degrees, or 1800 English Miles distant; especially there in those hot Countries, and here in the warmer Seasons, when Rains sall more precipitously than where it is colder.

4. If Rains, &c. should be no other than Exhalations from the Sea: It must be confidered how all those Vapours and Exhalations from the Earth, from Fountains and Rivers, from Vegetables and Animals are disposed of. For in Summer time, if you imbible dry Earth with Water, it will in a few days be exhaled by the Sun, as is evident by a Summer Rain that would in an Earthen-Veffel have raised an inch or more of Water, in the space of three or four hot days will be exhaled into Vapours. The fame is to be observed in Rivers, Ponds, Fountains, &c. that daily Exhalations do arise from them, especially in the Summer time: And from Vegetables also, which attract

attract unto themselves very much of the fubterraneal Aqueous Spirit, or Spiritus Mundi, which Vegetables do daily (throughout the Spring and Summer time especially) emit great quantities of Aqueous Particles. As some Trees have Floods of fuch like flowing a long time through their Trunks and Branches into their Leaves, and thence into the Air; as the Birch, the Vine, the Walnut, &c. A plain demonstration thereof is also to be feen in an Acre of Meadow-grass, which being cut in a hot Season, loseth in two days time three or four Tun of its weight, which is attracted by the Air. And every Animal, of any indifferent fize, as well as Man, daily perspires some quantity of moisture. And the Air being a fpongy Body, and two Miles and more in height, may eafily be supposed to contain Water enough (being rarefied) to raise 19 inches and much more, in less than a years time, being condensed into Showers.

It will not then seem strange to assert that Rains, Snow and Hail, are Aqueous Particles, that have been exhaled from the Surface of this Globe of Earth and Water, by the Virtual Influence of the Sun, he diy er of ene to as A pe ho ot, e- as a re of so

t is in de

## Fig.I. Pag. 181. d


Sun, and excited somewhat by the Central heat of the Earth, and the Spirits that are in the Vegetables and Animals on the same. And afterwards are condensed by the coldness of the Air into refreshing Showers, cold Snows and Hail, which descend again on the same Globe, part thereof imbibing the Earth a little way; the residue which the Earth cannot receive flowing through those infinite number of Canals that conduct it into the Ocean, which in all probability is much more than ever was exhaled from it towards the forming of so great Showers.

A more plain demonstration of the forming of Rain from those Exhalations may appear in the Scheme here drawn: Fig. 1. a. Represents the Superficies of the Earth, b. the Vapours that continually ascend in all dry Weather, c. the Region of the Air being the spongeous receptacle of the Aqueous Particles, d. the cold Region which condenseth those Particles into drops of Rain, Snow Blanes, or Hail-Stones, e. the bodies of such Condensations or Clouds, f. the Clouds descending in drops, &c. g. the perspiring Vapours of the Earth, which nourish

all things growing on its Superficies, and afford matter for Fountains and daily Exhalations.

After the same manner may those Cataracts of Water that are poured on the Continent of Africa, that create the Inundation of the Nile, and other African Floods, be produced. For it is difficult to imagine that those Waters should be brought from far, if we consider what hath been faid; and how small the height of the Clouds are in comparison of the distance of the Superficies of the Earth from the Center of the same; the Semidiameter of this Globe being about 3500 Miles, and the height of the Clouds about two Miles, fuch Clouds must appear to be very near the Earth. the Original of Nile being under the Meridian-Line, as Ludolphus in his Ethiopic History hath discovered, and much nearer than any former Author would allow it, is at least 30 Degrees, or 1800 Miles distance from its fall; And at the time of the Rains that fall to raise that Flood, the Winds constantly blow out of the North, as Mr. Sandys hath related; how then can it be imagined that fo great and immense a quanity of Waters can

cache innult be the he ut ds pd o e tt to s in



ca Se it th tie

can be carried from the Mediterranean-Sea to the Original of that Flood? But it is not difficult to imagine the cause of those Floods to be from the before-mentioned Thesis, which may the better be explained from the following second

Figure.

This Figure Represents so much of the Superficies of the Globe as contains 30 Degrees, being near the length of Nile from its head to its fall into the Mediterranean-Sea, according to the latest Difcoveries, as at a. a. The line b.b. is the distance from the Center to the Circumference, divided into English Miles; that thereby may be perceived how near the Water-bearing-Clouds are to the Earth, which may be gueffed at by the small Line drawn on the Superficies of the Earth, at c. c. d. d. represent the Sun beams perpendicularly, darting over the 23 Degrees and from the Equinoctial, and a little obliquely on the 6 and iremaining Degrees without the Tropic of Cancer at e. e. f. f. shew the Vapours or Aqueous Spirits that are continually exhaled from the subterraneous parts, by the Virtual Influence of the Sun; not only to furnish the Air with matter for those

those plentiful Showers, but those Fountains with Water, that throughout the year, so plentifully flow from the midst

of so large and dry a Territory.

The Sun about the 10th of March is perpendicularly over the Equinoctial-Line, it is supposed that then the Nile begins; and about that time the influence of the Sun may forceably attract from the inner parts of the Earth an abundance of those particles of Water that may cause so great Rains that shortly after happen. And as the Sun moveth towards the Tropic of Cancer, so doth its Influence operate: For from the middle of April to the tenth of June the Winds begin to rise from the Meridian-Line to the Tropic of Cancer, and some short Showers fall during that time.

These Vapours or Exhalations thus attracted by degrees, so soon as they touch the cold Region, are condensed and distil guttatim in smaller Showers; but after the Suns longer continuance over those parts, and the attraction growing more strong, those Showers or Condensations are the greater, that from the Suns entrance into Cancer they encrease, and during the month of July, and whilst

whilst the Sun is in Leo, the Rains are very violent, and then by degrees lessen till they end, which is about the time of the Suns crossing the Equinostial-Line in its Return towards the Southern-Hemi-

Sphere.

un-

the

dft

5 is

ines

be-

nce

om

ın-

nat

tly

eth

oth

id-

he

an-

me

lus

ley

ed

S;

ice

W-

m-

he

se,

nd

Ift.

So that it may with great reason and probability be supposed that the daily Perspirations and Exhalations from this Globe of Earth are treasured in the spongeous body of Air during the discontinued rimes of Rain, which in some parts of the Country through which the Nile runs, happens to be from the end of September to the beginning of April; and that afterwards the more direct Influence of the San penetrating deeper into the bowels of the Earth, doth excite the hear that is there. (For it is by none deflied, that the deeper any Mines or Cavities are funk into the Earth, the warmer is it,) which causeth so great a perspiration of that Mundane Spirit, or of Aqueous Particles, that they fill and expand the Air.

The Sun-beams penetrating through the Air, thus replete with moilture, may be the cause of those great heats that are between it and the Earth. For the

Sun

Sun gives a greater heat through Glass, than through the Air only. And the more of moisture there is in the Air, so it be finely rarified and transparent (as expanded Air is) the more violent is the heat of the Sun-beams penetrating through it; and such sultry heats generally preced Rains or Tempests in the Summer-time.

After the Celestial and Central Sun have thus surnished the Air with Matter, the stronger influence of the Celestial Sun raiseth or attracteth the same unto the cold Region of the Air, which by most is supposed not to be above two Miles and is or three Miles above us, where those Particles of Water so sinely rarissed, are condensed by cold into more dense or gross Bodies, which at tain the forms of Glouds, and soon find their way downwards.

Where the Air is more gross, the Exhalation weak, and the superior Region temperate, as in the more oblique or Northerly parts, there the distillations are smaller. But where the Exhalations are strong and forceable, the superior Region extream cold, and the Air more Rare, as it is nearer the Equinostial-Line

than

than at a great distance, as appears by the severity of the cold on the Pico at Tenerisse, and other Southerly Mountains, where the Snows lie throughout the year, there the Rains are violent and extream.

r,

ıt

is

e

72

1

Q

a

y

From these Exhalations rarified may Winds and Tempelts proceed: For when the sun approacheth, the Tropic of Cancer, the Clouds and Northern Winds move towards those Parts (as may be supposed) by attraction. For the influence of the San attracts those exhaled Vapours from those Northern Parts of Africa (that lie low on the Mediterranean-(hore) somewhat farther on the Continent. where the cold Region of the Air hath more power to condense them than on the Egyptian coast (where it seldom rains) from which Vapours proceed those Winds: As may be observed in this Island, that Winds oftentimes proceed from moving Clouds, sometimes from one side of the Cloud, and sometimes from the other. And it is also observed, that soon after Mists afcend the Hills, Winds as well as Rains follow: Therefore Winds may not be supposed to derive their Original from any remote Caufe.

But it may be objected, That those great

great Rains that water the vast African Territory, over which the Nile flows, are the Exhalations from the Mediterranean-Sea carried by the Northern Winds over it, at the times when the Nile begins to swell.

To which it may be answered, That it is very improbable that so great a quantity of Water can be exhaled out of that Sea, and carried so near to the Earth, to so great a distance as the head of Nile, without being demitted before it come a quarter of the way; the greatness of the Burthen and the thinness of the Air considered, such a Phanomenon is not reasonably to be demonstrated, nor is it easily apprehensible to consist with Nature.

For those Rains that fall on those Parts must be great, for that they water a vast dry Territory, which may require several inches of Water to moisten it, two or three Foot in depth, besides the raising of so great a Flood as the Nile, which increaseth from June 17th to September 24th, and then runs in a declining condition till May following; which River is said to water, by its divided Streams, the Land of Egypt, at the mouth thereof

thereof about 140 Miles in breadth, or at least its fertile part, and usually riseth 24 Cubits perpendicular at the height of

its Flood, as Mr. Sandys relates.

Now if those Rains do not derive their Original folely by Exhalations from the Sea, as is nor reasonably to be supposed; then is it very likely that they may be Exhalations from the Earth: And if they are fuch, then may all perennial Fountains be derived from the same Original. For those Aqueous Particles that from the warm interior parts of the Earth, are attracted by the Suns superior Influence, or otherwise howsoever to the Superficies thereof, may part of them perspire, and part be intercepted by Minerals, Vegetables, &c. and other part by the cold Rocks, Sands, Clays, Chalk, or the like, be condensed into Fountains.

If therefore that Rains and Fountains have the same Original, then is it not the weight of the Sea that enforceth the Waters through small subterraneous passages to the middle of Africa, or any other place to the forming of Fountains. Nor is it the weight of the Saline superficies of the Sea that present, the lower part being lighter and less salt, to the ascent

of fuch high and remote places where usually Fountains flow, as Mr. Hooke in

his Micrography would have it.

For those large Fountains, or rather Floods that issue out of divers Mountainous parts of the World, are too great to be derived from Rains; and if enforced thither through subterraneal Canals by the weight of the Sea, Whence then proceed Rains? And whence do proceed those trickling Waters, and many excellent and exuberant Springs that issue out near the tops of the lesser Mountains about the Pico at Tenerisse, but from those penetrating and perspiring Streams condensed by those extream cold Rocks?

If what is remifed be true, then may it be demonstrable how the Rivers, Floods, Fountains and Springs slow into the Sea, which supplieth the interior parts of the Earth with matter sufficient to maintain those perspiring vapours that continually ascend to maintain those Rivers, Floods, Fountains and Springs. So that there hath been, is, and ever shall be a perpetual Revolution of those Waters in which is contained the Natural spirit and life of every Animal, Vegetable and Mineral, in the Sublunar World.

The causes of the Ebbing and Flowing of the Sea, of Tempelts, Winds, Thunders, various dispositions of Airs, Heats, Droughts, &c. are not difficult to be discovered, the before-mentioned Powers and Influences being granted. For if you observe in Fig. 11. at g. how small a proportion one of those divisions of to miles is to the Semidiater of the Earth, then must one wife be fo much smaller, viz. as 1 to 3500 5 Then confider that the highest Tide on our European-Coast is not above 70 Foot perpendicular, which is more than 71 times contained in one of those miles, which is almost imperceptible, being so great a disproportion to the Semidiame-ter of this Globe; whence it may easily be supposed, that the lunar influence impregnated by the folar, may by attraction cause so small a motion as the Flux of the Sea. But more of these Matters at another time.

## or abothib son ore wis colored by difficult to be discontinuous. The colored by t

The works of the Education and Flowing and Flowing Constant of Temperature of Paragraphics of

PAg. 3. l. 18. r. exhaled, p. 27. l. 3. r. lenten grain, p. 43. l. 20. r. Slide, l. 25. sliding, p. 46. l. 26. r. Lixivium, p. 71. l. 23. r. gently, p. 81. l. 25. r. where, as, p. 118. l. 16. dele Roots in the middle of that line, l. 27. r. Use, and question not, p. 120. l. 14. r. Vessels (their Skins) as Grapes, the Vignerons of all foreign Vinyards let them, p. 121. l. 18. r. peeling, p. 139. l. 27. r. make use, p. 141. l. 6. r. descend, p. 146. l. 16. dele and, p. 156. l. 16. r. Savory, p. 159. l. 14. r. At, p. 196. l. 12. r. in the, p. 175. l. ult. dele not.

pregnated by the observing by attraction casts to read a modium as the Flux of the Searches more efthete. Matters as 200-

To order Sider Forespe ols sond ad the sider tomos from the dell or the Trops put it in to an open tub or Coulor Conor it our with two or three doubte thanks Lott it stand soo till it to roady to turd whire wille within 2: or 3: dayed at furthist, but some if the whateve to warmer, it is thou sondy for it pard whom it bogind to troamed a little on for top & a bout the sisted of feet full, the mas is thus he de proposed and put in food provid onvoj flast for onvoj for fallond of sidor provid onvoj flast fringlad tut in to Little pooted, & put into an lartan polt, & put to it a line to swart of the Sudor out of for tube; lott it stand and socketill fas esst of the sider show the toaken a fors said thou it is wary from take a gallon of lyde more fala of fee tull, & putanto a petor pan wite to Isniglafso souled & too al sider it was souked in set it our a gould firs till all the soniglafes by boyling & \_ tull to to post, dont it woll fogeton & land it stand warmer Conored onde to worksta bout 400 5: Day of, or till it to ac thand as Routh wind white is Comonly within Ral find, but if it stant 2:02 3: Day od longer it will take not harmit; but hand arms you dot not meadle wife taking of the thick soum which willow on the lopp of it it will nosomy tent to full it Stands in Rand a fap hold at fat sid mous the bottom & word you find by putting by with a spoond a little of tas som of the top that it is toars, drow it of and barrill it in strong barried, with a Hill sound but Totals notice you must omondiately to stand in a cools solor, it will a rady to sen in a mounte, at which find you may be hill som for prosent trinking; left to o fast of in the farrilled till effort or office; then better